



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/01
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26420	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26420-3 & 26420-4 & 26420-7 & 26420-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/02
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26419	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26419-3 & 26419-4 & 26419-7 & 26419-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/03
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26414	2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26414-3 & 26414-4 & 26414-7 & 26414-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/04
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26440	DSV Office 3 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26440-3 & 26440-4 & 26440-7 & 26440-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/05
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26441	6 Person Office Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26441-3 & 26441-4 & 26441-7 & 26441-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/06
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26446	Recreation & Gym Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26446-3 & 26446-4 & 26446-7 & 26446-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/07
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26448	Western Dining Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26448-3 & 26448-4 & 26448-7 & 26448-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/08
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26450	Western Kitchen Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	12000 KG
Lugs SN:	26450-3 & 26450-4 & 26450-7 & 26450-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/09
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26431	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26431-3 & 26431-4 & 26431-7 & 26431-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/10
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26427	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26427-3 & 26427-4 & 26427-7 & 26427-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/11
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26447	Dining Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26447-3 & 26447-4 & 26447-7 & 26447-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/12
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26417	HLB HSE Day Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26417-3 & 26417-4 & 26417-7 & 26417-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None


All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/13
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26425	Tool pusher Day 4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26425-3 & 26425-4 & 26425-7 & 26425-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/14
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26428	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26428-3 & 26428-4 & 26428-7 & 26428-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/15
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26445	Water Room Lifting Lugs		Accept
Unit Dim :-	L:- 7000 mm X W:-3200 mm X H:- 3000 mm	Weight:	5500 KG
Lugs SN:	26445-3 & 26445-4 & 26445-7 & 26445-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/16
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26434	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26434-3 & 26434-4 & 26434-7 & 26434-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/17
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26436	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26436-3 & 26436-4 & 26436-7 & 26436-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/18
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26430	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26430-3 & 26430-4 & 26430-7 & 26430-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/19
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26453	Store Room & Laundry Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	12000 KG
Lugs SN:	26453-3 & 26453-4 & 26453-7 & 26453-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/20
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26411	2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26411-3 & 26411-4 & 26411-7 & 26411-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/21
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26418	2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26418-3 & 26418-4 & 26418-7 & 26418-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/22
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26416	Quarantine Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26416-3 & 26416-4 & 26416-7 & 26416-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/23
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26409	2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26409-3 & 26409-4 & 26409-7 & 26409-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/24
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26422	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26422-3 & 26422-4 & 26422-7 & 26422-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/25
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26442	Meeting Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11000 KG
Lugs SN:	26442-3 & 26442-4 & 26442-7 & 26442-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/26
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26438	8 Person Office Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26438-3 & 26438-4 & 26438-7 & 26438-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/27
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26439	6 Person Office Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26439-3 & 26439-4 & 26439-7 & 26439-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/28
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26451	Gold Storage Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	12000 KG
Lugs SN:	26451-3 & 26451-4 & 26451-7 & 26451-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/29
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26449	Chinese Kitchen Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	12000 KG
Lugs SN:	26449-3 & 26449-4 & 26449-7 & 26449-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/30
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26408	Office Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26408-3 & 26408-4 & 26408-7 & 26408-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/31
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26424	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26424-3 & 26424-4 & 26424-7 & 26424-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/32
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26423	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26423-3 & 26423-4 & 26423-7 & 26423-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/33
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26415	Camp boss Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26415-3 & 26415-4 & 26415-7 & 26415-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/34
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26421	4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26421-3 & 26421-4 & 26421-7 & 26421-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/35
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26435	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26435-3 & 26435-4 & 26435-7 & 26435-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/36
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26426	Electrician 4 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26426-3 & 26426-4 & 26426-7 & 26426-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/37
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26413	Material Man Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26413-3 & 26413-4 & 26413-7 & 26413-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/38
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26412	Mechanic & Night HSE 2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26412-3 & 26412-4 & 26412-7 & 26412-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/39
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26410	2 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26410-3 & 26410-4 & 26410-7 & 26410-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/40
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26429	8 Person Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26429-3 & 26429-4 & 26429-7 & 26429-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/41
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26437	Clinic Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26437-3 & 26437-4 & 26437-7 & 26437-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/42
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26452	Security Room Lifting Lugs		Accept
Unit Dim :-	L:- 7000 mm X W:-3200 mm X H:- 3000 mm	Weight:	5500 KG
Lugs SN:	26452-3 & 26452-4 & 26452-7 & 26452-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/43
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26444	TEA Room Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11000 KG
Lugs SN:	26444-3 & 26444-4 & 26444-7 & 26444-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None


All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/44
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26408	Rig Manger Office Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26408-3 & 26408-4 & 26408-7 & 26408-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
 Identification of any part found to have a defect and a description of the defect: None
 Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
 All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/45
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
A-26443	Shower Room & Public Toilet Lifting Lugs		Accept
Unit Dim :-	L:- 13000 mm X W:-3200 mm X H:- 3000 mm	Weight:	11500 KG
Lugs SN:	26443-3 & 26443-4 & 26443-7 & 26443-8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/46
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
HH-JF-20	Water Tank Lifting Lugs		Accept
Unit Dim :-	L:- 13.2 M X W:- 3.1 M X H:- 2.4 M		
Lugs SN:	N1, N2, N3, N4	Each Lug SWL:	6 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/47
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
HH-082-6	Generator Room Lifting Lugs		Accept
Unit Dim :-	L:- 6.0 M X W:- 2.46 M X H:- 2.8 M		
Lugs SN:	B5, B6, B7, B8	Each Lug SWL:	40 KN



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None


All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/48
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
HH-90-12002	Water Tank Lifting Lugs		Accept
Unit Dim :-	L:- 2510 MM X W:- 2510 MM X H:- 2380 MM		
Lugs SN:	A9, A10, A11, A12	Each Lug SWL:	3 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/49
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
70-2	Water Tank Lifting Lugs		Accept
Unit Dim :-	L:- 9.0 M X W:- 2.35 M X H:- 2.10 M		
Lugs SN:	W1, W2, W3, W4	Each Lug SWL:	6 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	Hong Hua Oil& Gas Engineering Services Ltd	Certificate no:	QC-HH-02-25-063/50
Location:	HH Rig 008	Job Order No:	QC-HH-02-25-063
Date of Examination:	15-February -2025	Next Inspection Due:	14-August-2025
Unit Serial Number	Description of the examined equipment		Result
HH-025	STORE(Paint) Lifting Lugs		Accept
Unit Dim :-	L:- 6.2 M X W:- 2.45 M X H:- 2.0 M		
Lugs SN:	W5, W6, W7, W8	Each Lug SWL:	2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature	Authenticating This Report:	Signature
Mohamed Magdy		Mohammed Abdulla	