





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-01
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
DZ025 DZ026	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM		30 KN	19-10-2024
				Last Proof Load Test:- N/A	
					
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE	YES	NO		In accordance with an examination scheme?	
				YES	NO
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:		
Mahmoud Ali	Mohamed Abdullah		14-09-2025		

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-01A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	DZ025 , DZ026				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-02
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
DZ027 DZ028	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM		30 KN	19-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?					<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			14-09-2025	

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-02A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	DZ027 , DZ028				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-03
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
DZ017 DZ018 DZ019 DZ020	04	Fabricated Pad Eyes SUBSTRUCTURE H- SUPPORT BEAM		30 KN	19-10-2024
				Last Proof Load Test:- N/A	
		Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM			
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	✓ NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	✓ NO
				In accordance with an examination scheme?	
				YES	✓ NO
				After the occurrence of exceptional circumstances?	
				YES	✓ NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	✓ NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			14-09-2025	

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-03A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE H- SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	DZ017 , DZ018 , DZ019 , DZ020				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025



THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-04
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
DZ021 DZ022	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM		50 KN	19-10-2024
				Last Proof Load Test:- N/A	
		Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM			
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	✓ NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	✓ NO
				In accordance with an examination scheme?	
				YES	✓ NO
				After the occurrence of exceptional circumstances?	
				YES	✓ NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	✓ NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			14-09-2025	

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-04A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	DZ021 , DZ022				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-05
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
DZ023 DZ024	02	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM		30 KN	19-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 129 MM					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
If the answer to the above question is YES has the equipment been installed correctly?		<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?					<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			14-09-2025	

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-05A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	DZ023 , DZ024				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-06		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
049	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 7# 20019		50 KN	19-10-2025		
050		Pad Eye Dimension		Last Proof Load Test:- N/A			
051		Thickness: 25 MM					
052		Pin Hole: 30 MM Length: 120 MM Height: 125 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	✓
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:			
Mahmoud Ali	Mohamed Abdullah			14-09-2025			

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-06A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM 7# PAD EYES				Pass
PAD EYES SN:	049 , 050 , 051 , 052				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025


THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-07		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
041	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 4# 20019		50 KN	19-10-2025		
042		Pad Eye Dimension		Last Proof Load Test:- N/A			
043		Thickness: 25 MM					
044		Pin Hole: 30 MM Length: 120 MM Height: 125 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	√	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	√
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-07A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM 4# PAD EYES				Pass
PAD EYES SN:	041 , 042 , 043 , 044				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-08
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
073 074	02	Fabricated Pad Eyes SUB STRUCTURE SUPPORT BEAM 20019		50 KN	19-10-2025
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 122 MM Height: 87 MM					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months?	
			<input checked="" type="checkbox"/>	YES	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	With an interval of 12 months?	
			<input type="checkbox"/>	YES	<input type="checkbox"/>
				In accordance with an examination scheme?	
				YES	<input checked="" type="checkbox"/>
				After the occurrence of exceptional circumstances?	
				YES	<input type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	<input type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	<input checked="" type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			14-09-2025	

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-08A
Unit Serial Number	Description of the examined equipment				Result
20019	SUB STRUCTURE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	073 , 074				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-09
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE BOX LIFTING LUGS				Pass
LUGS SN:	D9 , D10 , D11 , D12				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-10
Unit Serial Number	Description of the examined equipment				Result
20019	SUB STRUCTURE BOX LIFTING LUGS				Pass
LUGS SN:	D13 , D14 , D15 , D16				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-11
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE DRAWWORKS BASE LIFTING LUGS				Pass
LUGS SN:	077 , 078 , 079 , 080	ECHE LUG SWL		70 KN	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-12
Unit Serial Number	Description of the examined equipment				Result
20019	ROTARY TABLE LIFTING LUGS				Pass
LUGS SN:	069 , 070 , 071 , 072	ECHE LUG SWL		80 KN	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-13
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SIT BACK BOX LIFTING LUGS				Pass
LUGS SN:	065 , 066 , 067 , 068	ECHE LUG SWL		70 KN	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-14		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
045	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 6# 20019		50 KN	19-10-2025		
046		Pad Eye Dimension		Last Proof Load Test:- N/A			
047		Thickness: 25 MM					
048		Pin Hole: 30 MM Length: 120 MM Height: 125 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	√	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	√
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp		Date of Next Through Examination:			
Mahmoud Ali	Mohamed Abdullah			14-09-2025			

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-14A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM 6# PAD EYES				Pass
PAD EYES SN:	045 , 046 , 047 , 048				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025


THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091	
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-15	
Serial Number:	QTY	Description		SWL	Date of last Thorough examination	
037	04	Fabricated Pad Eyes SUBSTRUCTURE SUPPORT BEAM 2# 20019		50 KN	19-10-2025	
038		Pad Eye Dimension		Last Proof Load Test:- N/A		
039		Thickness: 25 MM				
040		Pin Hole: 30 MM Length: 120 MM Height: 125 MM				
Reference Standard:		LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months?		
			<input checked="" type="checkbox"/>	YES		
				With an interval of 12 months?		
				YES		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	In accordance with an examination scheme?		
				YES		
				After the occurrence of exceptional circumstances?		
				YES		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE						
Is the above a defect which is of immediate danger to persons:				YES	NO	
					<input checked="" type="checkbox"/>	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO	
				<input checked="" type="checkbox"/>		
NDT Equipment Details						
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET	
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025	
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026	
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026	
NDT procedure						
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection						
Identification of any part found to have a defect and a description of the defect:						
None						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
None						

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-15A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE SUPPORT BEAM 2# PAD EYES				Pass
PAD EYES SN:	037 , 038 , 039 , 040				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-16		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
057	04	Fabricated Pad Eyes SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM		50 KN	19-10-2024		
058		Pad Eye Dimension		Last Proof Load Test:- N/A			
059		Thickness: 25 MM					
060		Pin Hole: 31 MM Length: 118 MM Height: 90 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	✓
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:			Date of Next Through Examination:		
Mahmoud Ali	Mohamed Abdullah				14-09-2025		

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-16A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	057 , 058 , 059 , 060				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-17		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
033	04	Fabricated Pad Eyes SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM		50 KN	19-10-2024		
034		Pad Eye Dimension		Last Proof Load Test:- N/A			
035		Thickness: 25 MM					
036		Pin Hole: 31 MM Length: 118 MM Height: 90 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	✓
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:			
Mahmoud Ali	Mohamed Abdullah			14-09-2025			

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-17A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	033 , 034 , 035 , 036				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091		
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-18		
Serial Number:	QTY	Description		SWL	Date of last Thorough examination		
053	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE SUPPORT BEAM		50 KN	19-10-2024		
054		Pad Eye Dimension		Last Proof Load Test:- N/A			
055		Thickness: 25 MM					
056		Pin Hole: 31 MM Length: 118 MM Height: 90 MM					
Reference Standard:		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	√	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	√
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO	√
NDT Equipment Details							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
NDT procedure							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:			
Mahmoud Ali	Mohamed Abdullah			14-09-2025			


THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-18A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE DRILL SIDE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	053 , 054 , 055 , 056				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations



Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091					
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-19					
Serial Number:	QTY	Description		SWL	Date of last Thorough examination					
029	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE SUPPORT BEAM		50 KN	19-10-2024					
030		Pad Eye Dimension		Last Proof Load Test:- N/A						
031		Thickness: 25 MM								
032		Pin Hole: 31 MM Length: 118 MM Height: 90 MM								
Reference Standard:		LEEA DOC 048:2015								
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	✓	NO		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?	YES		NO	✓	
					In accordance with an examination scheme?	YES	✓	NO		
					After the occurrence of exceptional circumstances?	YES		NO	✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE										
Is the above a defect which is of immediate danger to persons:								YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)						N/A				
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
IS THIS EQUIPMENT SAFE TO OPERATE?								YES	✓	NO
NDT Equipment Details										
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET					
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025					
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026					
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026					
NDT procedure										
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection										
Identification of any part found to have a defect and a description of the defect:										
None										
Particulars of any repair, renewal or alteration required to remedy the defect identified above:										
None										
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:			Date of Next Through Examination:					
Mahmoud Ali	Mohamed Abdullah				14-09-2025					

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-19A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE DRILL SIDE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	029 , 030 , 031 , 032				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025


THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-20
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
S13 S14 S21 S22	04	Fabricated Pad Eyes SUBSTRUCTURE DRILL SIDE & OFF DRILL SIDE SUPPORT BEAM Pad Eye Dimension Thickness: 20 MM Pin Hole: 30 MM Length: 118 MM Height: 90 MM		50 KN	19-10-2024
Last Proof Load Test:- N/A					
					
Reference Standard:		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-20A
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE DRILL SIDE & OFF DRILL SIDE SUPPORT BEAM PAD EYES				Pass
PAD EYES SN:	S13 ,S14 , S21 , S22				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-21
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE LOWER OFF DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	DZ013 , DZ014 , DZ015 , DZ016			ECHÉ LUG SWL	280 KN



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-22
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE LOWER OFF DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	DZ005 , DZ006 , DZ007 , DZ008		ECHE LUG SWL		280 KN



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-23
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE UPPER OFF DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	085 , 086 , 087 , 088	ECHE LUG SWL		80 KN	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-24
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE LOWER DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	DZ009 , DZ010 , DZ011 , DZ012			ECHÉ LUG SWL	280 KN



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-25
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE LOWER DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	DZ001 , DZ002 , DZ003 , DZ004			ECHE LUG SWL	280 KN



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-26
Unit Serial Number	Description of the examined equipment				Result
20019	SUBSTRUCTURE UPPER DRILL SIDE LIFTING LUGS				Pass
LUGS SN:	061 , 062 , 063 , 064	ECHE LUG SWL		80 KN	



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0091
Date of Examination:	15-03-2025	Date of Report:	15-03-2025	Certificate No:	QC-B-03-25-0091-01-27
Unit Serial Number	Description of the examined equipment				Result
20019	ROTARY TABLE SECONDARY RETENTION FALL ARRESTORE				Pass
LUGS SN:	C1 , C2 , C3, C4				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		14-09-2025

THIS IS TO CERTIFY THAT a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER). The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.