



Al Takamul Company for Engineering Services
Quality Control – Iraq



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/01
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
C4387 C4388 C4389 C4390	TWO LEG WIRE ROPE SLING Dim: 13 MM DIA x 6 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPliced WITH ALUMINUM FERRULE STEEL CORE. C/W TOP MASTER LINK ASSEMBLY HARD EYE X SOFT EYE. Location: Store	04	2.9 TON
Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008	
* Is this the first examination after installation or assembly at a new site or location?		Was the examination carried out?	
YES	NO	√	
		* Within an interval of 6 months?	YES √ NO
		* Within an interval of 12 months?	YES NO √
* If the answer to the above question is YES has the equipment been installed correctly?		* In accordance with an examination scheme?	YES √ NO
YES	NO		
		* After the occurrence of exceptional circumstances?	YES NO √
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None			
Is The Above a Defect Which Is of Immediate Danger to Persons		YES	NO √
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)		NO √	YES By:
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe to Operate?		Yes Accept √	NO Reject

LEE & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/02
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
C4391 C4392 C4393 C4394	TWO LEG WIRE ROPE SLING Dim: 22 MM DIA x 8 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPliced WITH ALUMINUM FERRULE STEEL CORE. C/W TOP MASTER LINK ASSEMBLY HARD EYE X SOFT EYE. Location: Store	04	8.7 TON
Applicable Reference Standard: BS EN 13414-1:2003+A2:2008			
Was the examination carried out?			
* Is this the first examination after installation or assembly at a new site or location?		YES	NO
		√	
* If the answer to the above question is YES has the equipment been installed correctly?		YES	NO
		√	
		YES	NO
		√	
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None			
Is The Above a Defect Which Is of Immediate Danger to Persons		YES	NO
			√
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)		NO	YES
		√	
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe to Operate?		Yes Accept	NO Reject
		√	

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





Al Takamul Company for Engineering Services
Quality Control – Iraq



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/03
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
C3758 C3759	TWO LEG WIRE ROPE SLING Dim: 22 MM DIA x 8 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPliced WITH ALUMINUM FERRULE STEEL CORE. C/W TOP MASTER LINK ASSEMBLY HARD EYE X SOFT EYE. Location: Store	02	8.7 TON
Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008	
* Is this the first examination after installation or assembly at a new site or location?		Was the examination carried out?	
YES	NO	√	
		* Within an interval of 6 months?	YES √ NO
		* Within an interval of 12 months?	YES NO √
* If the answer to the above question is YES has the equipment been installed correctly?		* In accordance with an examination scheme?	
YES	NO	√	
		* After the occurrence of exceptional circumstances?	YES NO √
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None			
Is The Above a Defect Which Is of Immediate Danger to Persons		YES	NO √
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)		NO √	YES By:
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe to Operate?		Yes Accept √	NO Reject

LEE & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





Al Takamul Company for Engineering Services
Quality Control – Iraq



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/04
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
M5072 M5073	TWO LEG WIRE ROPE SLING Dim: 26 MM DIA x 8 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPliced WITH ALUMINUM FERRULE STEEL CORE. C/W TOP MASTER LINK ASSEMBLY HARD EYE X SOFT EYE. Location: Store	02	12 TON

Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008							
		Was the examination carried out?							
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	√	* Within an interval of 6 months?	YES	√	NO	
					* Within an interval of 12 months?	YES		NO	√
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		* In accordance with an examination scheme?	YES	√	NO	
					* After the occurrence of exceptional circumstances?	YES		NO	√
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None									
Is The Above a Defect Which Is of Immediate Danger to Persons					YES		NO	√	
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)					NO	√	YES		By:
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None									
** Visual And Dimension Check was Carried Out.									
Is This Equipment Safe to Operate?					Yes Accept	√	NO Reject		

LEE & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/05
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
P7095 P7096 P7097	SINGLE LEG WIRE ROPE SLING Dim: 16 MM DIA x 12 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPliced WITH ALUMINUM FERRULE STEEL CORE. SOFT EYE X SOFT EYE. Location: Store	03	3 TON

Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008								
		Was the examination carried out?								
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	√	* Within an interval of 6 months?		YES	√	NO	
					* Within an interval of 12 months?		YES		NO	√
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO		* In accordance with an examination scheme?		YES	√	NO	
					* After the occurrence of exceptional circumstances?		YES		NO	√
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None										
Is The Above a Defect Which Is of Immediate Danger to Persons							YES		NO	√
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)					NO	√	YES		By:	
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None										
** Visual And Dimension Check was Carried Out.										
Is This Equipment Safe to Operate?					Yes Accept	√	NO Reject			

LEEA & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





Al Takamul Company for Engineering Services
Quality Control – Iraq



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/06
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
P7087	<p>SINGLE LEG WIRE ROPE SLING</p> <p>Dim: 16 MM DIA x 8 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPLICED WITH ALUMINUM FERRULE STEEL CORE. SOFT EYE X SOFT EYE.</p> <p>Location: Store</p>	01	3 TON
Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008	
* Is this the first examination after installation or assembly at a new site or location?		Was the examination carried out?	
YES	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>
* If the answer to the above question is YES has the equipment been installed correctly?		* Within an interval of 6 months?	
YES	NO	YES	NO
		* Within an interval of 12 months?	
		YES	NO
		* In accordance with an examination scheme?	
		YES	NO
		* After the occurrence of exceptional circumstances?	
		YES	NO
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None			
Is The Above a Defect Which Is of Immediate Danger to Persons		YES	NO
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)		NO	By:
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe to Operate?		Yes Accept	NO Reject

LEEA & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-03-25-0156-01/06
Location:	RIG DQ-011	Job Order No:	QC-B-03-25-0156
Date of Examination:	01-Apr-2025	Next Inspection Due:	30-Sep-2025
Last Inspection		Last Proof Load Test Date	
N/A		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	MBL
M5228	SINGLE LEG WIRE ROPE SLING Dim: 26 MM DIA x 10 M (L) FOS: 5:1 6X36 IWRC, ROPE GRAED 1960 N/MM2 GALV MECANICALLY SPLICED WITH ALUMINUM FERRULE STEEL CORE. HARD EYE X PLAIN. Location: Store	01	472 KN
Applicable Reference Standard:		BS EN 13414-1:2003+A2:2008	
* Is this the first examination after installation or assembly at a new site or location?		Was the examination carried out?	
YES	NO	<input checked="" type="checkbox"/>	<input type="checkbox"/>
* If the answer to the above question is YES has the equipment been installed correctly?		* Within an interval of 6 months?	
YES	NO	YES	NO
		* Within an interval of 12 months?	
		YES	NO
		* In accordance with an examination scheme?	
		YES	NO
		* After the occurrence of exceptional circumstances?	
		YES	NO
Identification Of Any Part Found to Have a Defect Which Is or Could Become a Danger to Persons and a Description of The Defect: None			
Is The Above a Defect Which Is of Immediate Danger to Persons		YES	NO
Is The Above a Defect Which Is Not Yet but Could Become a Danger to Persons: (If YES State the Date by When)		NO	By:
Particulars Of Any Repair, Renewal or Alteration Required to Remedy the Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe to Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohammed Abdalla		Ashraf El Said	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection. And considered Safe for Lifting.

