



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-01
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121456500	RIG FLOOR AIR WINCH SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W49 , W50 , W51 , W52				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-02
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121451000	RIG FLOOR AIR WINCH & MAN RAIDER SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W33 , W34 , W35 , W36				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-03
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
7011121459000	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W5 , W6 , W7 , W8				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-04
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120858600	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W21 , W22				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-05
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121452000	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W23 , W24 , W25 , W26				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-06
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121455000	RIG FLOOR CAT HEAD SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W13 , W14 , W15 , W16				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025


REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-07
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121456000	RIG FLOOR CAT HEAD SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W27 , W28 , W29 , W30 , W31 , W32				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-08
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120853000	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W1 , W2 , W3 , W4				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-09
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
7011208580	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W41 , W42 , W43 , W44				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-10
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120343100	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W17 , W18 , W19 , W20				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-11
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701121459000	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W45 , W46 , W47 , W48				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-12
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
LL701120852500	RIG FLOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W9 , w10 , w11 , w12				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-13
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120343100	RIG FLOOR V-DOOR SECTION LIFTING POINT				Pass
<b>LIFTING POIN SN:</b>	W17 , W18 , W19 , W20				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025



REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-14
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
081	04	Fabricated Pad Eyes		50 KN	20-10-2024
082		RIG FLOOR AIR TANK SECTION 20019			
083		Pad Eye Dimension		Last Proof Load Test:- BY Manufacture	
084		Thickness: 24 MM Pin Hole: 31 MM Length: 160 MM Height: 114 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	YES	NO
Was the examination carried out:		Within an interval of 6 months?		YES	NO
		With an interval of 12 months?		YES	NO
In accordance with an examination scheme?		YES	NO	YES	NO
After the occurrence of exceptional circumstances?		YES	NO	YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	Name of person authenticating:	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			11-09-2025	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-14A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	RIG FLOOR AIR TANK SECTION PAD EYES				Pass
<b>PAD EYES SN:</b>	081 , 082 , 083 , 084				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-15
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
P01 P02	02	Fabricated Pad Eyes RIG FLOOR V-DOOR PACKUP POST 701120155703 , 701120155703-2		5 TON	20-10-2024
				Last Proof Load Test:- N/A	
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
		Was the examination carried out: Within an interval of 6 months?		YES	✓ NO
		With an interval of 12 months?		YES	NO ✓
		In accordance with an examination scheme?		YES	✓ NO
		After the occurrence of exceptional circumstances?		YES	NO ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	✓ NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			11-09-2025	

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-15A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120155703 701120155703-2	RIG FLOOR V-DOOR PACKUP POST PAD EYES				Pass
<b>PAD EYEYS SN:</b>	P01 , P02				



NDT Equipment Details					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025



REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092	
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-16	
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>	
P1 P2	02	Fabricated Pad Eyes RIG FLOOR		10 TON	20-10-2024	
				Last Proof Load Test:- N/A		
Pad Eye Dimension Thickness: 30 MM Pin Hole: 40 MM Length: 120 MM Height: 125 MM						
<b>Reference Standard:</b>		LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO			
		Was the examination carried out: Within an interval of 6 months?		YES	✓	
		With an interval of 12 months?		YES	NO	
		In accordance with an examination scheme?		YES	✓	
		After the occurrence of exceptional circumstances?		YES	NO	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE						
Is the above a defect which is of immediate danger to persons:					YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					YES	NO
<b>NDT Equipment Details</b>						
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET	
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025	
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026	
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026	
<b>NDT procedure</b>						
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection						
Identification of any part found to have a defect and a description of the defect:						
None						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
None						
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>		
Mahmoud Ali	Mohamed Abdullah			11-09-2025		

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-16A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120343100	RIG FLOOR PAD EYES				Pass
<b>PAD EYEYS SN:</b>	P1 , P2				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092		
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-17		
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>		
P3	03	Fabricated Pad Eyes		5 TON	20-10-2024		
P4		RIG FLOOR PACKUP POST 701120836100					
P5		Pad Eye Dimension		Last Proof Load Test:- N/A			
		Thickness: 24 MM Pin Hole: 30 MM Length: 120 MM Height: 128 MM					
<b>Reference Standard:</b>		LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	Was the examination carried out: Within an interval of 6 months?		
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		With an interval of 12 months?		
					In accordance with an examination scheme?		
					After the occurrence of exceptional circumstances?		
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) NONE							
Is the above a defect which is of immediate danger to persons:					YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					YES	NO	✓
<b>NDT Equipment Details</b>							
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET		
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025		
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026		
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026		
<b>NDT procedure</b>							
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection							
Identification of any part found to have a defect and a description of the defect:							
None							
Particulars of any repair, renewal or alteration required to remedy the defect identified above:							
None							
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>			
Mahmoud Ali	Mohamed Abdullah			11-09-2025			


REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-17A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
701120836100	RIG FLOOR PACKUP POST PAD EYES				Pass
<b>PAD EYEYS SN:</b>	P3 , P4 , P5				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-18
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
P6	01	Fabricated Pad Eye RIG FLOOR PACKUP POST P6		3 TON	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 14 MM Pin Hole: 58 MM Length: 120 MM Height: 140 MM					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
		Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?		YES	NO
				✓	✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
				✓	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			11-09-2025	


REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0092
<b>Date of Examination:</b>	12-03-2025	<b>Date of Report:</b>	12-03-2025	<b>Certificate No:</b>	QC-B-03-25-0092-06-18A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
P6	RIG FLOOR PACKUP POST PAD EYE				Pass
<b>PAD EYEW SN:</b>	P6				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		11-09-2025

REV: 01 Dated: 20 June 2022

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.