




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-01
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-71	CIRCULATING TANK 1# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS9 , MS10 , MS11 , MS12 , MS13 , MS14 , MS15 , MS16				



<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM
------------------------	---------------------------------------

**NDT Equipment Details**

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-02
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-72	CIRCULATING TANK 2# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS17 , MS18 , MS19 , MS20 , MS21 , MS22 , MS23 , MS24				
<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM				
<b>NDT Equipment Details</b>					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-03
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-73	CIRCULATING TANK 3# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS25 , MS26 , MS27 , MS28 , MS29 , MS30 , MS31 , MS32				



<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM
------------------------	---------------------------------------

**NDT Equipment Details**

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-04
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-74	CIRCULATING TANK 4# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS49 , MS50 , MS51 , MS52 , MS53 , MS54 , MS55 , MS56				
					
<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM				
<b>NDT Equipment Details</b>					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-05
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-75	CIRCULATING TANK 5# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS41 , MS42 , MS43 , MS44 , MS45 , MS46 , MS47 , MS48				



<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM
------------------------	---------------------------------------

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection  
Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-06
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-76	CIRCULATING TANK 6# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS33 , MS34 , MS35 , MS36 , MS37 , MS38 , MS39 , MS40				
					
<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM				
<b>NDT Equipment Details</b>					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-07
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-77	CIRCULATING TANK 7# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS57 , MS58 , MS59 , MS60 , MS61 , MS62 , MS63 , MS64				



<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM
------------------------	---------------------------------------

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-08
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-78	CIRCULATING TANK 8# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS65 , MS66 , MS67 , MS68 , MS69 , MS70 , MS71 , MS72				



<b>Unit Dimensions</b>	L: 12500 MM , W: 3300 MM X H: 3200 MM				
<b>NDT Equipment Details</b>					
<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-09
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-07-09	TRIP TANK 9# LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS1 , MS2 , MS3 , MS4 , MS5 , MS6 , MS7 , MS8				



<b>Unit Dimensions</b>	L: 6500 MM , W: 3300 MM X H: 3200 MM
------------------------	--------------------------------------

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-10
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
LD3	MUD TANK LADDER LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS97 , MS98 , MS99 , MS100 , MS97-1 , MS98-2 , MS99-3 , MS100-4				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-11
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
LD2	MUD TANK LADDER LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS93 , MS94 , MS95 , MS96				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)

QC-QA-MT-013 Rev.02 Date SEP-2024





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-12
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
LD1	MUD TANK LADDER LIFTING LUGS				Pass
<b>LUGS SN:</b>	MS89 , MS90 , MS91 , MS92				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-13
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
PB01	PPE Box Lifting Points				Pass
<b>Lifting Lugs SN:</b>	B1 , B2 , B3 , B4				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)


QC-QA-MT-013 Rev.02Date SEP-2024





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-14
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
2022-10	Mud Test Room Lifting Lugs				Pass
<b>Lifting Lugs SN:</b>	MS197 , MS198 , MS199 , MS200				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-15
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
FPQ1	Head Box Lifting Points				Pass
<b>Lifting Lugs SN:</b>	A , B , C , D				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		08-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)

QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093				
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-16				
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>				
MS207 MS208 MS209 MS210	04	Fabricated Pad Eyes Mud Cleaner SN: 4501196		1 TON	20-10-2024				
				Last Proof Load Test:- N/A					
<b>Reference Standard:</b>		LEEA DOC 048:2015							
Is this the first examination after Installation or assembly at a new site or location?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td></td> <td>NO</td> <td>✓</td> </tr> </table>		YES		NO	✓	Was the examination carried out:	
YES		NO	✓						
				Within an interval of 6 months?					
				<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td></td> </tr> </table>		YES	✓	NO	
YES	✓	NO							
				With an interval of 12 months?					
				<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td></td> <td>NO</td> <td>✓</td> </tr> </table>		YES		NO	✓
YES		NO	✓						
If the answer to the above question is YES has the equipment been installed correctly?		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td></td> <td>NO</td> <td></td> </tr> </table>		YES		NO		In accordance with an examination scheme?	
YES		NO							
				<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td>✓</td> <td>NO</td> <td></td> </tr> </table>		YES	✓	NO	
YES	✓	NO							
				After the occurrence of exceptional circumstances?					
				<table border="1" style="width: 100%; text-align: center;"> <tr> <td>YES</td> <td></td> <td>NO</td> <td>✓</td> </tr> </table>		YES		NO	✓
YES		NO	✓						
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) <b>NONE</b>									
Is the above a defect which is of immediate danger to persons:				YES	NO				
					✓				
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO				
				✓					
<b>NDT Equipment Details</b>									
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET				
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025				
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026				
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026				
<b>NDT procedure</b>									
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection									
Identification of any part found to have a defect and a description of the defect:									
None									
Particulars of any repair, renewal or alteration required to remedy the defect identified above:									
None									
<b>ASNT Level II Inspector Name:</b>		<b>Name of person authenticating:</b>		<b>Signature &amp; Stamp:</b>					
				<b>Date of Next Through Examination:</b>					

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned work on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations and Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Mahmoud Ali	Mohamed Abdullah		08-09-2025
-------------	------------------	--	------------

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-16A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
4501196	Mud Cleaner Lifting Pad Eyes				Pass
<b>Pad Eyes SN:</b>	MS207 , MS208 , MS209 , MS210				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:		

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned equipment on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered safe for Lifting.

Contact Us: +9647810009138 +9647834964660  
Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)  
QC-QA-MT-013 Rev.02Date SEP-2024






Mahmoud Ali	Mohamed Abdullah		08-09-2025
-------------	------------------	--	------------

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-17

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
MS205 MS206	02	Fabricated Pad Eyes Vacuum Degasser Tank SN: ZSCQN121  Pad Eye Dimension Thickness: 15 MM Pin Hole: 33 MM Length: 210 MM Height: 95 MM	1 TON  Last Proof Load Test:- N/A	20-10-2024
				

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	YES	NO	✓
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	✓
					YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection


Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-17A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
ZSCQN121	Vacuum Degasser Tank Lifting Pad Eyes				Pass
<b>Pad Eyes SN:</b>	MS205 , MS206				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:


None

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of inspection and considered safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)

QC-QA-MT-013 Rev.02 Date SEP-2024






ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-18

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
MS201 MS202 MS203 MS204	04	Fabricated Pad Eyes Vacuum Degasser Tank SN: ZSCQN121  Pad Eye Dimension Thickness: 21 MM Pin Hole: 60 MM Length: 150 MM Height: 225 MM	2 TON	20-10-2024
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	√	NO	√
					Within an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE

Is the above a defect which is of immediate danger to persons: YES NO √

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES √ NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**  
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection  
Identification of any part found to have a defect and a description of the defect:  
None


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-18A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
ZSCQN121	Vacuum Degasser Tank Lifting Pad Eyes				Pass
<b>Pad Eyes SN:</b>	MS201 , MS202 , MS203 , MS204				



### NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure

Visual and MPI carried out for the above description and found free of surface defects at the time of inspection  
Identification of any part found to have a defect and a description of the defect:

None


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
---------------------	-------------------------	------------------	---------------	--------------------	-----------------

<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-19
-----------------------------	------------	------------------------	------------	------------------------	-----------------------

Serial Number:	QTY	Description	SWL	Date of last Thorough examination
MS189 MS190 MS191 MS192	04	Fabricated Pad Eyes Centrifuge SN: RTA-518-CP-535  Pad Eye Dimension Thickness: 26 MM Pin Hole: 23 MM Length: 135 MM Height: 65 MM	1 TON	20-10-2024
			Last Proof Load Test:- N/A	
				

<b>Reference Standard:</b>	LEEA DOC 048:2015
----------------------------	-------------------

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	√	Was the examination carried out: Within an interval of 6 months?	YES	√	NO	
					With an interval of 12 months?	YES		NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		In accordance with an examination scheme? After the occurrence of exceptional circumstances?	YES	√	NO	
					YES		NO	√

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES  NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

**IS THIS EQUIPMENT SAFE TO OPERATE?** YES  NO

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-19A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
RTA-518-CP-535	Centrifuge Lifting Pad Eyes				Pass
<b>Pad Eyes SN:</b>	MS189 , MS190 , MS191 , MS192				




NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure  
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-20
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
MS193 MS194 MS195 MS196	04	Fabricated Pad Eyes Centrifuge SN: LWN137		1 TON	20-10-2024
Pad Eye Dimension Thickness: 21 MM Pin Hole: 36 MM Length: 110 MM Height: 82 MM				Last Proof Load Test:- N/A	
<b>Reference Standard:</b>				LEEA DOC 048:2015	
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
				In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
				After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





NDT procedure
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect:
None
Particulars of any repair, renewal or alteration required to remedy the defect identified above:
None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-20A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
LWN137	Centrifuge Lifting Pad Eyes				Pass
<b>Pad Eyes SN:</b>	MS193 , MS194 , MS195 , MS196				




NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






NDT procedure			
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection			
Identification of any part found to have a defect and a description of the defect:			
None			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:			
None			
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-21
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>	<b>SWL</b>	<b>Date of last Thorough examination</b>	
MS219 MS220 MS221 MS222	04	Fabricated Pad Eyes Shale Shaker 1# SN: MPRO-F-1785  Pad Eye Dimension Thickness: 14 MM Pin Hole: 37 MM Length: 95 MM Height: 75 MM	1 TON	20-10-2024	
			Last Proof Load Test:- N/A		
					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES		NO	
				✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES		NO	
				✓	
Was the examination carried out:		Within an interval of 6 months?		YES	
				✓	
		With an interval of 12 months?		YES	
				NO	
		In accordance with an examination scheme?		YES	
				✓	
		After the occurrence of exceptional circumstances?		YES	
				NO	
				✓	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
					✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
				✓	
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.







Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0093
Date of Examination:	09-03-2025	Date of Report:	09-03-2025	Certificate No:	QC-B-03-25-0093-07-21A


Unit Serial Number	Description of the examined equipment	Result
MPRO-F-1785	Shale Shaker 1# Lifting Pad Eyes	Pass
Pad Eyes SN:	MS219 , MS220 , MS221 , MS222	



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-22
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
MS215 MS216 MS217 MS218	04	Fabricated Pad Eyes Shale Shaker 2# SN: MPRO-F-1786  Pad Eye Dimension Thickness: 14 MM Pin Hole: 37 MM Length: 95 MM Height: 75 MM		1 TON	20-10-2024
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	With an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				YES	NO
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b> Standard: ASTM E709    Viewing Condition: Colored Media    Method: WET					

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None


Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025

## Visual & Magnetic Particles Examination Report


Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0093
Date of Examination:	09-03-2025	Date of Report:	09-03-2025	Certificate No:	QC-B-03-25-0093-07-22A
Unit Serial Number	Description of the examined equipment				Result
MPRO-F-1786	Shale Shaker 2# Lifting Pad Eyes				Pass
Pad Eyes SN:	MS215 , MS216 , MS217 , MS217				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

### Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations


<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-23
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
MS211 MS212 MS213 MS214	04	Fabricated Pad Eyes Shale Shaker 3# SN: MPRO-F-1969		1 TON	20-10-2024
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	YES	NO	YES
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	YES	NO	YES
Was the examination carried out: Within an interval of 6 months?			YES	NO	YES
With an interval of 12 months?			YES	NO	YES
In accordance with an examination scheme?			YES	NO	YES
After the occurrence of exceptional circumstances?			YES	NO	YES
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:					YES
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					
					YES

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		08-09-2025


## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0093
<b>Date of Examination:</b>	09-03-2025	<b>Date of Report:</b>	09-03-2025	<b>Certificate No:</b>	QC-B-03-25-0093-07-23A
Unit Serial Number	Description of the examined equipment				Result
MPRO-F-1969	Shale Shaker 3# Lifting Pad Eyes				Pass
Pad Eyes SN:	MS211 , MS212 , MS213 , MS214				



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			08-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)

QC-QA-MT-013 Rev.02Date SEP-2024

