





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-36
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
JJ025 JJ026 JJ027 JJ028	04	Fabricated Pad Eyes DRILL SIDE ENTER MEDIANT SECTION MAST Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM		100 KN	19-10-2024
				Last Proof Load Test:- N/A	
					
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				YES	NO
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES	NO
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-36A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE ENTER MEDIANT SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ025 , JJ026 , JJ027 , JJ028				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-37
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
JJ029	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE ENTER MEDIANT SECTION MAST		100 KN	19-10-2024
JJ030		Pad Eye Dimension Thickness: 26 MM Pin Hole: 40 MM Length: 270 MM Height: 230 MM		Last Proof Load Test:- N/A	
JJ035					
JJ036					
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-37A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE ENTER MEDIANT SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ029 , JJ030 , JJ035 , JJ036				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-38
Serial Number:	QTY	Description		SWL	Date of last Thorough examination
JJ009	04	Fabricated Pad Eyes DRILL SIDE & OFF DRILL SIDE ENTER MEDIANT SECTION MAST		100 KN	19-10-2024
JJ010		Pad Eye Dimension Thickness: 24 MM Pin Hole: 42 MM Length: 270 MM Height: 240 MM		Last Proof Load Test:- N/A	
JJ011					
JJ012					
Reference Standard:	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>		In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
IS THIS EQUIPMENT SAFE TO OPERATE?				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025
NDT procedure					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-38A
Unit Serial Number	Description of the examined equipment				Result
20019	DRILL SIDE & OFF DRILL SIDE ENTER MEDIANT SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ009 , JJ010 , JJ011 , JJ012				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090	
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-39	
Serial Number:	QTY	Description		SWL	Date of last Thorough examination	
JJ031 JJ032 JJ033 JJ034	04	Fabricated Pad Eyes OFF DRILL SIDE ENTER MEDIANT SECTION MAST Pad Eye Dimension Thickness: 24 MM Pin Hole: 45 MM Length: 170 MM Height: 137 MM		100 KN	19-10-2024	
				Last Proof Load Test:- N/A		
						
Reference Standard:	LEEA DOC 048:2015					
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances?			
	<input checked="" type="checkbox"/>	<input type="checkbox"/>				YES
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO				
	<input type="checkbox"/>	<input type="checkbox"/>				YES
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE						
Is the above a defect which is of immediate danger to persons:					YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
IS THIS EQUIPMENT SAFE TO OPERATE?					YES	NO
NDT Equipment Details						
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET	
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024	
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025	
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025	
NDT procedure						
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection						
Identification of any part found to have a defect and a description of the defect:						
None						
Particulars of any repair, renewal or alteration required to remedy the defect identified above:						
None						
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:		
Mahmoud Ali	Mohamed Abdullah			12-09-2025		

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660
 Email: / Admin@qualitycontrol-iraq.com
 QC-QA-MT-013 Rev.02Date SEP-2024





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-39A
Unit Serial Number	Description of the examined equipment				Result
20019	OFF DRILL SIDE ENTER MEDIANT SECTION MAST PAD EYES				Pass
PAD EYES SN:	JJ031 , JJ032 , JJ033 , JJ034				



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / Admin@qualitycontrol-iraq.com


QC-QA-MT-013 Rev.02Date SEP-2024





Visual & Magnetic Particles Examination Report

Client Name:	Daqing Drilling Company	Location:	Rig (DQ 1202)	Job Number:	QC-B-03-25-0090
Date of Examination:	13-03-2025	Date of Report:	13-03-2025	Certificate No:	QC-B-03-25-0090-04-40
Unit Serial Number	Description of the examined equipment				Result
701110144200-1 701110144200-2	DRILL SIDE & OFF DRILL SIDE ENTER MEDIANT SECTION MAST COUNTER WEIGHT ANCHOR POINT				Pass
ANCHOR POINT SN:	W1 , W2			SHEAVE SN:	S11 , S12



NDT Equipment Details

Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	14-08-2024
White Contrast	WCP-2	Batch No:	220602	Due Date	06-2025
Black Ink	7HF	Batch No:	220605	Due Date	7-1-2025

NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / Admin@qualitycontrol-iraq.com

QC-QA-MT-013 Rev.02Date SEP-2024

