




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-73
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	A FRAME SUPPORT BEAM RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105008 , JJQS105007				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-74
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	A FRAME SUPPORT BEAM RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105005 , JJQS105006				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.




## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-75
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	A FRAME SUPPORT BEAM DRILLING LINE SHEAVE				Pass
<b>SHEAVE SN:</b>	1202-5				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-76
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRILL SIDE LOWER SECTION MAST RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105002				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None


<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-77
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	DRIIL SIDE LOWER SECTION MAST RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105001				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-78
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	OFF DRILL SIDE LOWER SECTION MAST RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105003				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-79
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	OFF DRILL SIDE LOWER SECTION MAST RISING SHEAVE				Pass
<b>SHEAVE SN:</b>	JJQS105004				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

