





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-01
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ055 JJ056 JJ057 JJ058	04	Fabricated Pad Eyes MAST H- SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
		Pad Eye Dimension Thickness: 18 MM Pin Hole: 38 MM Length: 270 MM Height: 160 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		Was the examination carried out: Within an interval of 6 months? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> With an interval of 12 months? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> In accordance with an examination scheme? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> After the occurrence of exceptional circumstances? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-01A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST H- SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ055 , JJ056 , JJ057 , JJ058				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-02
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ047 JJ048	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
		Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM			
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	Was the examination carried out: Within an interval of 6 months?	
			<input checked="" type="checkbox"/>	YES	<input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	With an interval of 12 months? In accordance with an examination scheme?	
			<input type="checkbox"/>	YES	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	After the occurrence of exceptional circumstances?	
			<input type="checkbox"/>	YES	<input type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	<input type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	<input checked="" type="checkbox"/>
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	<input checked="" type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-02A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ047 , JJ048				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-03
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ051 JJ052	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				YES	NO
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-03A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ051 , JJ052				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-04
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ0532 JJ0541	02	Fabricated Pad Eyes MAST SUPPORT BEAM  Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE	YES	NO		In accordance with an examination scheme?	
				YES	NO
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-04A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ0532 , JJ0541				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)


QC-QA-MT-013 Rev.02Date SEP-2024






## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-05
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ037 JJ0501	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) NONE	YES	NO		In accordance with an examination scheme?	
				YES	NO
Is the above a defect which is of immediate danger to persons:			YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES	NO	✓
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-05A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	11037 110501				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-06
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ046 JJ045	02	Fabricated Pad Eyes MAST SUPPORT BEAM  Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		Was the examination carried out: Within an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				YES	NO
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-06A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass

<b>PAD EYE</b>						
----------------	--	--	---	--	--	--

NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

**NDT procedure**


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025


**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-07
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
XG034 JJ038	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
		Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM		Last Proof Load Test:- N/A	
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓	
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO		
		Was the examination carried out: Within an interval of 6 months?		YES	✓ NO
		With an interval of 12 months?		YES	NO ✓
		In accordance with an examination scheme?		YES	✓ NO
		After the occurrence of exceptional circumstances?		YES	NO ✓
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO ✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	✓ NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-07A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	XG034 , JJ038				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-08
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ041 JJ042	02	Fabricated Pad Eyes MAST SUPPORT BEAM  Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		Was the examination carried out: Within an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-08A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ041 , JJ042				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	



ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-09
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ0541 JJ053	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
		Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM			
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none Sate NONE) NONE	YES	NO		In accordance with an examination scheme?	
				YES	NO
Is the above a defect which is of immediate danger to persons:			YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)			N/A		
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>			YES	NO	✓
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-09A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ0541 , JJ053				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:	Date of Next Through Examination:
Mahmoud Ali	Mohamed Abdullah		12-09-2025

REV: 01 Dated: 20 June 202

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-10
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ049 JJ050	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM					
<b>Reference Standard:</b>	LEEA DOC 048:2015				
Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within an interval of 6 months?	
				YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		With an interval of 12 months?	
				YES	NO
				In accordance with an examination scheme?	
				After the occurrence of exceptional circumstances?	
				YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
ASNT Level II Inspector Name:	Name of person authenticating:	Signature & Stamp:		Date of Next Through Examination:	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-10A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ049 , JJ050				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None



<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090			
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-11			
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>			
JJ043 JJ044	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024			
				Last Proof Load Test:- N/A				
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM								
<b>Reference Standard:</b>		LEEA DOC 048:2015						
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	✓				
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO					
Was the examination carried out: Within an interval of 6 months?		YES	✓	NO				
With an interval of 12 months?		YES		NO	✓			
In accordance with an examination scheme?		YES	✓	NO				
After the occurrence of exceptional circumstances?		YES		NO	✓			
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>								
Is the above a defect which is of immediate danger to persons:					YES	NO	✓	
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A			
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>								
					YES	✓	NO	
<b>NDT Equipment Details</b>								
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET			
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025			
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026			
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026			
<b>NDT procedure</b>								
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection								
Identification of any part found to have a defect and a description of the defect:								
None								
Particulars of any repair, renewal or alteration required to remedy the defect identified above:								
None								
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>				
Mahmoud Ali	Mohamed Abdullah			12-09-2025				

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-11A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ043 , JJ044				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-12
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ035 JJ036	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES	NO	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?		YES	NO	YES	NO
Was the examination carried out: Within an interval of 6 months?		YES	NO	YES	NO
Was the examination carried out: Within an interval of 12 months?		YES	NO	YES	NO
In accordance with an examination scheme?		YES	NO	YES	NO
After the occurrence of exceptional circumstances?		YES	NO	YES	NO
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:				YES	NO
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)				N/A	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>				YES	NO
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>		<b>Date of Next Through Examination:</b>	
Mahmoud Ali	Mohamed Abdullah			12-09-2025	

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.





## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-12A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ035 , JJ036				



### NDT Equipment Details

<b>Standard</b>	ASTM E709	<b>Viewing Condition:</b>	Colored Media	<b>Method</b>	WET
<b>Yoke</b>	Permanent	<b>Serial No:</b>	PY-09	<b>Due Date</b>	11. May.2025
<b>White Contrast</b>	WCP-2	<b>Batch No:</b>	220602	<b>Due Date</b>	April.2026
<b>Black Ink</b>	7HF	<b>Batch No:</b>	220605	<b>Due Date</b>	Jun.2026

### NDT procedure


Visual and MPI carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect:

None

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

None

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660

Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)



QC-QA-MT-013 Rev.02Date SEP-2024





## Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-13
<b>Serial Number:</b>	<b>QTY</b>	<b>Description</b>		<b>SWL</b>	<b>Date of last Thorough examination</b>
JJ039 JJ040	02	Fabricated Pad Eyes MAST SUPPORT BEAM		30 KN	20-10-2024
				Last Proof Load Test:- N/A	
Pad Eye Dimension Thickness: 20 MM Pin Hole: 31 MM Length: 120 MM Height: 90 MM					
<b>Reference Standard:</b>		LEEA DOC 048:2015			
Is this the first examination after Installation or assembly at a new site or location?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	Was the examination carried out: Within an interval of 6 months?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			With an interval of 12 months?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If the answer to the above question is YES has the equipment been installed correctly?		YES <input type="checkbox"/> NO <input type="checkbox"/>	In accordance with an examination scheme?		YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			After the occurrence of exceptional circumstances?		YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none State NONE) <b>NONE</b>					
Is the above a defect which is of immediate danger to persons:					YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)					N/A
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
<b>IS THIS EQUIPMENT SAFE TO OPERATE?</b>					YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<b>NDT Equipment Details</b>					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026
<b>NDT procedure</b>					
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect:					
None					
Particulars of any repair, renewal or alteration required to remedy the defect identified above:					
None					
<b>ASNT Level II Inspector Name:</b>		<b>Name of person authenticating:</b>		<b>Signature &amp; Stamp:</b>	
Mahmoud Ali		Mohamed Abdullah			
					<b>Date of Next Through Examination:</b>
					12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

Contact Us: +9647810009138 +9647834964660  
Email: / [Admin@qualitycontrol-iraq.com](mailto:Admin@qualitycontrol-iraq.com)  
QC-QA-MT-013 Rev.02Date SEP-2024






## Visual & Magnetic Particles Examination Report

<b>Client Name:</b>	Daqing Drilling Company	<b>Location:</b>	Rig (DQ 1202)	<b>Job Number:</b>	QC-B-03-25-0090
<b>Date of Examination:</b>	13-03-2025	<b>Date of Report:</b>	13-03-2025	<b>Certificate No:</b>	QC-B-03-25-0090-04-13A
<b>Unit Serial Number</b>	<b>Description of the examined equipment</b>				<b>Result</b>
20019	MAST SUPPORT BEAM PAD EYES				Pass
<b>PAD EYES SN:</b>	JJ039 , JJ040				



NDT Equipment Details					
Standard	ASTM E709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	220602	Due Date	April.2026
Black Ink	7HF	Batch No:	220605	Due Date	Jun.2026

NDT procedure	
Visual and MPI carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect:	
None	
Particulars of any repair, renewal or alteration required to remedy the defect identified above:	
None	

<b>ASNT Level II Inspector Name:</b>	<b>Name of person authenticating:</b>	<b>Signature &amp; Stamp:</b>	<b>Date of Next Through Examination:</b>
Mahmoud Ali	Mohamed Abdullah		12-09-2025

**THIS IS TO CERTIFY THAT;** a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

