


**CERTIFICATE OF QUALIFICATION VISUAL AND WITNESS PRESSURE TEST**

THIS REPORT COMPLIES WITH RECOGNIZED INTERNATIONAL STANDARDS & TECHNICAL REQUIEREMENTS

CLIENT:	TAREEK AL SALEM	REPORT No.:	QC-25-03-TAS-NDT-CMF-023
LOCATION:	TAREEK AL SALEM YARD	JOB NO :	20032025
WORK ORDER #	****	SPECIFICATION:	ASME B31.1-2024 LATEST EDITION / CUSTOMER SPECIFICATION
DATE OF INSPECTION :	Sunday, March 23, 2025		
TYPE OF INSPECTION:	<b>VISUAL INSPECTION AND WITNESS PRESSURE TEST</b>		
DESCRIPTION:	SURFACE SAFETY VALVE 3 1/8" 5K	SSV SAP NO:	12011972
LOW PRESSURE TEST	300 psi	HOLDING TIME:	05 MINUTES
MAXIMUM WORKING PRESSURE TEST	5,000 Psi	HOLDING TIME:	15 MINUTES
Pump NO.:	EQ NO:13119220	CAL DUE DATE:	19.AUG.2025
Pressure Gauge NO.:	218230280019	CAL DUE DATE:	28.FEB.2026



ONLINE TRACEABILITY




**PRESSURE TEST WITNESS RESULT**

BODY PRESSURE TEST	The Above Item was Pressure Tested up to 300 PSI A low Pressure Hold for 5 min And Maximum Working pressure 5.000 psi Hold 15 min no Leak was Realized while testing & Pressure Was Stable Accordance To Chart Recorder Attached
DOWNSTREAM PRESSURE TEST	The Above Item was Pressure Tested up to 300 PSI A low Pressure Hold for 5 min And Maximum Working pressure 5.000 psi Hold 15 min no Leak was Realized while testing & Pressure Was Stable Accordance To Chart Recorder Attached
UPSTREAM PRESSURE TEST	The Above Item was Pressure Tested up to 300 PSI A low Pressure Hold for 5 min And Maximum Working pressure 5.000 psi Hold 15 min no Leak was Realized while testing & Pressure Was Stable Accordance To Chart Recorder Attached

**PERSON DETAILS**

**REVIEW BY**

INSPECTOR NAME:	M. Sh. Izzad Ahmed	SENIOR INSPECTOR:	NAVEED HUSSAIN	CLIENT:	
QUALIFICATION:	ASME B31.1-2024	INSPECTION SUPERVISOR:	HANI ALI	HB&SIGN	
SIGNATURE & STAMP:				DATE:	




Original - Client Files Copy - Area Office / QC/EN/PT/077 Rev.00 DATED 07.NOV. 2021



**MAJOR INSPECTION CERTIFICATE**

THIS REPORT COMPLIES WITH RECOGNIZED INTERNATIONAL STANDARDS & TECHNICAL REQUIREMENTS

CLIENT:	<b>TAREEK AL SALEM</b>	REPORT NO.:	QC-25-03-TAS-NDT-CMF-024
LOCATION:	TAREEK AL SALEM YARD	STANDARD:	ASTM E709-21 & ASTM E797-21 & API SPEC 6A:2024
WORK ORDER #	*****		
DATE OF INSPECTION:	Thursday, March 20, 2025	NEXT ANNUAL INSPECTION DATE:	Thursday, March 19, 2026
TYPE OF INSPECTION:	<b>VISUAL INSPECTION AND MAGNETIC PARTICLE INSPECTION AND ULTRASONIC THICKNESS GAUGING</b>		
DESCRIPTION:	SSV 3 1/8" 5K	SSV SAP NO:	12011972
MANUFACTURER:	MCM OIL TOOLS	SERIAL NO:	029008



\* ALL READINGS IN INCH  
\*\*MINIMUM THICKNESS PROVIDED BY CUSTOMER

ANGLE	WALL THICKNESS RESULT				MINIMUM THICKNESS IN INCHES		
	SECTION-1 A	SECTION-1 B	SECTION-2	SECTION-3	SECTION-1	SECTION-2	SECTION-3
0°	1.075	1.108	1.590	1.677	0.310	0.940	1.060
90°	1.089	1.081	1.564	1.669	0.310	0.940	1.060
180°	1.121	1.139	1.540	1.672	0.310	0.940	1.060
270°	1.098	1.114	1.556	1.654	0.310	0.940	1.060

**INSPECTION RESULT**

VT & MPI	Accepted	According to ASTM E709-21
UT	Accepted	According to ASTM E 797-21
BODY	Accepted	*** These Are The Actual Readings Need To Follow As Per Standard Acceptance Criteria

**Inspection Evaluation**

(MPI) The Above Item Has No Significant Discontinuous At The Time Of Inspection And Found Acceptable According to ASTM E709-21

U.T-The Above Item Was Found Acceptable As Per ASTM E797-21

INSPECTION EQUIPMENT DETAILS				TECHNICAL DETAILS			
AC YOKE S.N:	201504052	CAL DUE DATE	11-Apr-25	White Contrast WCP-2	MANUFACTURE	BATCH NO	EXPIRE DATE
Digital Lux Meter WHITE LIGHT	2722003	CAL DUE DATE	13-Apr-25		Magnaflux	230408	APRIL,2026
UT THICKNESS GAUGE:	3997	CAL DUE DATE	11-Apr-25	Black Magnetic Ink 7HF	MANUFACTURE	BATCH NO	EXPIRE DATE
UT TEST BLOCK:	NoBo5088	CAL DUE DATE	12-Apr-25		Magnaflux	230604	JUNE, 2026
ASTM Test Block:	1657	CAL DUE DATE	11-Apr-25	Concentration Magnetic Ink 7HF	1.2 to 2.4 ml/100 ml		
WHITE LIGHT INTENSITY:	3670 lux						

**PERSON DETAILS**

**REVIEW BY**

INSPECTOR NAME:	M. Shalwan Ahmed	SENIOR INSPECTOR:	NAVEED HUSSAIN	CLIENT:	
QUALIFICATION:		INSPECTION SUPERVISOR:	HANI ALI	HD&SIGN	
SIGNATURE & STAMP:				DATE:	

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS  
AND PROFESSIONAL SAFETY LIMITED**  
Basra, North Rumaila, Quality Control Yard - Iraq



**MAJOR INSPECTION CERIFICATE**

<b>Client:</b>	TAREEK AL SALEM	<b>Report No:</b>	QC-25-03-TAS-NDT-SSV-025
<b>Location:</b>	TAREEK AL SALEM YARD	<b>WO NO:</b>	*****
<b>Inspection Date:</b>	Thursday, March 20, 2025	<b>NEXT ANNUAL INSPECTION DATE:</b>	Thursday, March 19, 2026
<b>Type Of Inspection:</b>	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	<b>Specification:</b>	ASTM E709-21 & API SPEC 6A:2024
	<b>UNIT DESCRIPTION:</b>	FLANGE 3 1/8" 5 K X 3" 1502 WING	
	<b>UNIT S/N:</b>	PETROFAC 1253-6	
	<b>SSV SAP NO:</b>	12011972	
	<b>INSPECTION RESULT :</b>		
	<b>VISUAL , THOROUGH EXAMINATION</b>	VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION	
	<b>MAGNETIC PARTICLE INSPECTION</b>	Thread & critical areas inspected and found free from cracks and other defects	
<b>FINAL RESULTS</b>	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
<b>COMMENT:</b>			
(MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
<b>EQUIPMENT :</b>	AC/DC HAND Yoke	<b>EQUIPMENT :</b>	Shooting Coil DC	<b>EQUIPMENT :</b>	UV BLACK LIGHT: 3170 µw/cm²	<b>INSPECTOR NAME:</b>	M.SHAHZAD AHMED	<b>SENIOR INSPECTOR:</b>	NAVEED HUSSAIN	
<b>S.NO:</b>	201504052	<b>S.NO:</b>	22650	<b>S.NO:</b>	1898977		<b>QUALIFICATION:</b>	ASNT LEVEL II MT & PT & VT	<b>SUPERVISOR:</b>	HANI ALI
<b>Cal Due Date:</b>	11.APRIL.2025	<b>Cal Due Date:</b>	12.APRIL.2025	<b>Cal Due Date:</b>	11.APRIL.2025		<b>CLIENT:</b>			
<b>FLUORESCENT 14HF</b>	Magnaflux	<b>Batch No:</b>	230503	<b>EXPIRE DATE:</b>	MAY.2026					
<b>Whie Contrast Paint Manufacture:</b>	Magnaflux	<b>Batch No:</b>	230408	<b>EXPIRE DATE:</b>	APRIL,2026					
<b>TECHNICAL DETAILS</b>	Digital Lux Meter WHITE LIGHT INTENSITY: 3660 Lux/S.NO:2722003 Wet FLUORESCENT Particle Concentration 14 HF 0.1 to 0.4 ml/100 ml Batch No:230604 Black Magnetic Ink Manufacture:7HF Black Magnetic Ink Concentration 7 HF 1.2 to 2.4 ml/100 ml EXPIRE DATE: JUNE, 2026									

Original - Client Files      Copy - Area Office      QC/FN/MPI/065      Rev.00      DATED 07 NOV 2021

AI TAKAMUL COMPANY FOR ENGINEERING TESTS  
AND PROFESSIONAL SAFETY LIMITED  
Basra, North Rumaila, Quality Control Yard - Iraq



MAJOR INSPECTION CERIFICATE

<b>Client:</b>	TAREEK AL SALEM	<b>Report No:</b>	QC-25-03-TAS-NDT-SSV-026
<b>Location:</b>	TAREEK AL SALEM YARD	<b>WO NO:</b>	*****
<b>Inspection Date:</b>	Thursday, March 20, 2025	<b>NEXT ANNUAL INSPECTION DATE::</b>	Thursday, March 19, 2026
<b>Type Of Inspection:</b>	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	<b>Specification:</b>	ASTM E709-21 & API SPEC 6A:2024
	<b>UNIT DESCRIPTION:</b>	FLANGE 3 1/8" 5 K X 3" 1502 THREAD	
	<b>UNIT S/N:</b>	WO#15063	
	<b>SSV SAP NO:</b>	12011972	
	<b>INSPECTION RESULT :</b>		
	<b>VISUAL , THOROUGH EXAMINATION</b>	VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION	
	<b>MAGNETIC PARTICLE INSPECTION</b>	Thread & critical areas inspected and found free from cracks and other defects	
<b>FINAL RESULTS</b>	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
<b>COMMENT:</b> (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			



EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
<b>EQUIPMENT :</b>	AC/DC HAND Yoke	<b>EQUIPMENT :</b>	Shooting Coil DC	<b>EQUIPMENT :</b>	UV BLACK LIGHT: 3170 μw/cm <sup>2</sup>	<b>INSPECTOR NAME:</b>	M.SHAHZAD AHMED	<b>SENIOR INSPECTOR:</b>	NAVEED HUSSAIN
<b>S.NO:</b>	201504052	<b>S.NO:</b>	22650	<b>S.NO:</b>	1898977			<b>SUPERVISOR:</b>	HANI ALI
<b>Cal Due Date:</b>	11.APRIL.2025	<b>Cal Due Date:</b>	12.APRIL.2025	<b>Cal Due Date:</b>	11.APRIL.2025				
<b>FLUORESCENT 14HF</b>	Magnaflux	<b>Batch No:</b>	230503	<b>EXPIRE DATE:</b>	MAY.2026				
<b>Whie Contrast Paint Manufacture:</b>	Magnaflux	<b>Batch No:</b>	230408	<b>EXPIRE DATE:</b>	APRIL,2026	<b>STAMP &amp; SIGNATURE:</b>	<b>CLIENT:</b>		
Digital Lux Meter WHITE LIGHT INTENSITY:	<b>TECHNICAL DETAILS</b>			Black Magnetic Ink Manufacture:7HF					
3660 Lux/S.NO:2722003	Wet FLUORESCENT Particle Concentration 14 HF	0.1 to 0.4 ml/100 ml		Batch No:230604					
<b>Cal Due Date:13.APRIL.2025</b>	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		<b>EXPIRE DATE:</b>	JUNE, 2026				


Original - Client Files      Copy - Area Office      QC/FN/MPI/065      Rev.00      DATED 07 NOV 2021

AI TAKAMUL COMPANY FOR ENGINEERING TESTS  
AND PROFESSIONAL SAFETY LIMITED  
Basra, North Rumaila, Quality Control Yard - Iraq



MAJOR INSPECTION CERIFICATE

Client:	TAREEK AL SALEM	Report No:	QC-25-03-TAS-NDT-SSV-027
Location:	TAREEK AL SALEM YARD	WO NO:	*****
Inspection Date:	Thursday, March 20, 2025	NEXT ANNUAL INSPECTION DATE::	Thursday, March 19, 2026
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709-21
		UNIT DESCRIPTION:	SSV BOLTS 1"-8UN X 7 1/4"
		SSV NO:	12011972
		TOTAL BOLTS QTY:	16 EACH
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Thread & Body areas inspected and found free from cracks and other defects
FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
COMMENT: (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3170 µw/cm <sup>2</sup>	INSPECTOR NAME:	M.SHAHZAD AHMED	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.NO:	201504052	S.NO:	22650	S.NO:	1898977	QUALIFICATION:	ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI
Cal Due Date:	11.APRIL.2025	Cal Due Date:	12.APRIL.2025	Cal Due Date:	11.APRIL.2025		STAMP & SIGNATURE:	CLIENT:	
FLUORESCENT 14HF	Magnaflux	Batch No:	230503	EXPIRE DATE:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	EXPIRE DATE:	APRIL,2026				
Digital Lux Meter WHITE LIGHT INTENSITY:	TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF					
3660 Lux/S.NO:2722003	Wet FLUORESCENT Partide Concentration 14 HF	0.1 to 0.4 ml/100 ml		Batch No:230604					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	JUNE, 2026				

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021

AI TAKAMUL COMPANY FOR ENGINEERING TESTS  
AND PROFESSIONAL SAFETY LIMITED  
Basra, North Rumaila, Quality Control Yard - Iraq



MAJOR INSPECTION CERIFICATE

<b>Client:</b>	TAREEK AL SALEM	<b>Report No:</b>	QC-25-03-TAS-NDT-SSV-028
<b>Location:</b>	TAREEK AL SALEM YARD	<b>WO NO:</b>	*****
<b>Inspection Date:</b>	Thursday, March 20, 2025	<b>NEXT ANNUAL INSPECTION DATE:::</b>	Thursday, March 19, 2026
<b>Type Of Inspection:</b>	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	<b>Specification:</b>	ASTM E709-21
		<b>UNIT DESCRIPTION:</b>	SSV NUT 1"-8UN HEX
		<b>SSV NO:</b>	12011972
		<b>TOTAL NUT QTY:</b>	32 EACH
		<b>INSPECTION RESULT :</b>	
		<b>VISUAL , THOROUGH EXAMINATION</b>	VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		<b>MAGNETIC PARTICLE INSPECTION</b>	Thread & Body areas inspected and found free from cracks and other defects
<b>FINAL RESULTS</b>	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
<b>COMMENT:</b> (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY	
<b>EQUIPMENT :</b>	AC/DC HAND Yoke	<b>EQUIPMENT :</b>	Shooting Coil DC	<b>EQUIPMENT :</b>	UV BLACK LIGHT: 3170 µw/cm <sup>2</sup>	<b>INSPECTOR NAME:</b>	M.SHAHZAD AHMED	<b>SENIOR INSPECTOR:</b>	NAVEED HUSSAIN
<b>S.NO:</b>	201504052	<b>S.NO:</b>	22650	<b>S.NO:</b>	1898977	<b>QUALIFICATION:</b> ASNT LEVEL II MT & PT & VT		<b>SUPERVISOR:</b>	HANI ALI
<b>Cal Due Date:</b>	11.APRIL.2025	<b>Cal Due Date:</b>	12.APRIL.2025	<b>Cal Due Date:</b>	11.APRIL.2025			<b>CLIENT:</b>	
<b>FLUORESCENT 14HF</b>	Magnaflux	<b>Batch No:</b>	230503	<b>EXPIRE DATE:</b>	MAY.2026	<b>STAMP &amp; SIGNATURE:</b>			
<b>Whie Contrast Paint Manufacture:</b>	Magnaflux	<b>Batch No:</b>	230408	<b>EXPIRE DATE:</b>	APRIL,2026				
<b>TECHNICAL DETAILS</b>	<b>Black Magnetic Ink Manufacture:7HF</b>								
Digital Lux Meter WHITE LIGHT INTENSITY:	<b>Wet FLUORESCENT Partice Concentration 14 HF</b>		0.1 to 0.4 ml/100 ml		<b>Batch No:230604</b>				
3660 Lux/S.NO:2722003	<b>Black Magnetic Ink Concentration 7 HF</b>		1.2 to 2.4 ml/100 ml		<b>EXPIRE DATE:</b> JUNE, 2026				
<b>Cal Due Date:13.APRIL.2025</b>									

Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021

AI TAKAMUL COMPANY FOR ENGINEERING TESTS  
AND PROFESSIONAL SAFETY LIMITED  
Basra, North Rumaila, Quality Control Yard - Iraq



MAJOR INSPECTION CERIFICATE

Client:	TAREEK AL SALEM	Report No:	QC-25-03-TAS-NDT-SSV-028
Location:	TAREEK AL SALEM YARD	WO NO:	*****
Inspection Date:	Thursday, March 20, 2025	NEXT ANNUAL INSPECTION DATE::	Thursday, March 19, 2026
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709-21
		UNIT DESCRIPTION:	SSV NUT 1"-8UN HEX
		CHOKE MANIFOLD S/N:	12011972
		TOTAL NUT QTY:	32 EACH
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	VISUAL & MAGNETIC PARTICLE INSPECTION ( M.P.I. ) HAD BEEN DONE ON THE AVAILABLE AREAS FOR THE ABOVE DESCRIPTION
		MAGNETIC PARTICLE INSPECTION	Thread & Body areas inspected and found free from cracks and other defects
FINAL RESULTS	THE ABOVE INSPECTED AREAS WAS ACCEPTED		
COMMENT: (MPI Wet Fluorescent inspection Thread With UltraViolet Light) Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

EQUIPMENT DETAILS						PERSON DETAILS		REVIEW BY		
EQUIPMENT :	AC/DC HAND Yoke	EQUIPMENT :	Shooting Coil DC	EQUIPMENT :	UV BLACK LIGHT: 3170 µw/cm <sup>2</sup>	INSPECTOR NAME: M.SHAHZAD AHMED		SENIOR INSPECTOR:	NAVEED HUSSAIN	
S.NO:	201504052	S.NO:	22650	S.NO:	1898977			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:	HANI ALI
Cal Due Date:	11.APRIL.2025	Cal Due Date:	12.APRIL.2025	Cal Due Date:	11.APRIL.2025			STAMP & SIGNATURE:	CLIENT:	
FLUORESCENT 14HF	Magnaflux	Batch No:	230503	EXPIRE DATE:	MAY.2026					
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	EXPIRE DATE:	APRIL,2026					
Digital Lux Meter WHITE LIGHT INTENSITY:	TECHNICAL DETAILS			Black Magnetic Ink Manufacture:7HF						
3660 Lux/S.NO:2722003	Wet FLUORESCENT Partide Concentration 14 HF	0.1 to 0.4 ml/100 ml		Batch No:230604						
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	JUNE, 2026					


Original - Client Files Copy - Area Office QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021

# Data Collection Report

Gauge Information	
Serial Number	218230280019
Model	ADT680W-25-GP30K-PSI-AM
Calibration Date	1-Mar-25
Range	30000 PSI

Run Info	
Start Time	11:42 AM
Stop Time	12:06 PM
Test Date	23-Mar-25
EQ NUMBER	12011972

## READING



TESTED BY : Ahmed Omran  
APPROVED BY: Roddy Haleem  
COMMENTS: Body Test


SIGN:  
SIGN:

# Data Collection Report

Gauge Information	
Serial Number	218230280019
Model	ADT680W-25-GP30K-PSI-AM
Calibration Date	1-Mar-25
Range	30000 PSI

Run Info	
Start Time	12:13 PM
Stop Time	12:38 PM
Test Date	23-Mar-25
EQ NUMBER	12011972

## READING



TESTED BY : Ahmed Omran  
APPROVED BY: Roddy Haleem  
COMMENTS: Upstream Gate valve




# Data Collection Report

Gauge Information	
Serial Number	218230280019
Model	ADT680W-25-GP30K-PSI-AM
Calibration Date	1-Mar-25
Range	30000 PSI

Run Info	
Start Time	12:44 PM
Stop Time	1:08 PM
Test Date	23-Mar-25
EQ NUMBER	12011972

READING



TESTED BY : Ahmed Omran  
APPROVED BY: Roddy Haleem  
COMMENTS: Downstream Gate valve