




Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/01
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-39-1	Trip Tank Lifting Lugs		Accept
Unit DIM:	L:- 6000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	T1, T2, T3, T4, T5, T6, T7, T8





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohamed Abdulla		Ashraf Al Said	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/02
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12018	Cooling Water Tank Lifting Lugs		Accept
Unit DIM:	L:- 10500 MM X W:-2920 MM X H:- 3000 MM	Lugs SN:	C-01, C-02, C-03, C-04 C-05, C-06, C-07, C-08



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed per OEM's instructions, and OEM did the measurements.					

LEEA & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohamed Abdulla		Ashraf Al Said	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/03
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-16-027	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J1, J2, J3, J4




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/04
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-16-027	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J5, J6, J7, J8



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed per OEM's instructions, and OEM did the measurements.


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/05
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-16-032	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J9, J10, J11, J12





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	
Mohamed Abdulla		Ashraf Al Said	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/06
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12159	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J13, J14, J15, J16



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed per OEM's instructions, and OEM did the measurements.					

LEEA & ASNT Level II Inspector Name:		Authenticating This Report:	
Mohamed Abdulla		Ashraf Al Said	




Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/07
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-16-029	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J17, J18, J19, J20



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed per OEM's instructions, and OEM did the measurements.					

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/08
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12157	Mud Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	J21, J22, J23, J24




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/09
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
12-16-034	Water Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs SN:	M53, M54, M55, M56




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Authenticating This Report:	
Mohamed Abdulla	Ashraf Al Said	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/10
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
'10-16-69	Drilling Fluid Circulation Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2500 MM	Lugs Sn:	F1, F2, F3, F4




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said






Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/11
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
'12-16-033	Drilling Fluid Circulation Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs Sn:	F5, F6, F7, F8



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed per OEM's instructions, and OEM did the measurements.					


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/12
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
'10-21-18	Industrial Water Tank Lifting Lugs		Accept
Unit Dim:	L:- 12000 MM X W:- 3000 MM X H:- 2400 MM	Lugs Sn:	1, 2, 3, 4




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/13
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
LM-005	Industrial Water Tank Lifting Lugs		Accept
Lugs SN:	L09, L10, L11, L12		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said 



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/14
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
3121	Brine Tank Lifting Lugs		Accept
Lugs Sn:	3121-1, 3121-2, 3121-3, 3121-4		





NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed per OEM's instructions, and OEM did the measurements.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said






Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-B/12
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	09-May-2025	Next Inspection Due:	08.Nov.2025
Unit Serial Number	Description of the examined equipment		Result
3122	Brine Tank Lifting Lugs		Accept
Lugs Sn:	3122-1, 3122-2, 3122-3, 3122-4		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-10	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed per OEM's instructions, and OEM did the measurements.					

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:
Mohamed Abdulla		Ashraf Al Said 