



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/68
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
20019	Mast Lower Section Cross Beam Connecting Pad Eyes		Accept
Connecting SN:	S-01, S-02, S-03, S-04		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/69
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
20019	Mast Lowe Section Cross Beam Connecting Pad Eyes		Accept
Connecting SN:	JJ011, JJ012		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/70
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
20019	Mast Lowe Section Cross Beam Connecting Pad Eyes		Accept
Connecting SN:	JJ-14, JJ-15		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/71
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment	Result	
20019	Mast Lowe Section Cross Beam 8 EA Pins	Accept	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/72
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment	Result	
701110515500	Mast Cross Beam Connecting Pad Eyes & 4EA Pins	Accept	
Connecting SN:	SP-01, SP-02		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/73
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110516500	Mast Cross Beam Connecting Pad Eyes & 4EA Pins		Accept
Connecting SN:	SP-03, SP-04		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/74
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110513000	Mast Cross Beam Connecting Pad Eyes & 4EA Pins		Accept
Connecting SN:	SP-05, SP-06		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/75
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110514500	Mast Cross Beam Connecting Pad Eyes & 4EA Pins		Accept
Connecting SN:	SP-07, SP-08		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None


All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/76
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110517500	Mast Cross Beam Connecting Pad Eyes & 4EA Pins		Accept
Connecting SN:	SP-09, SP-10, SP-11		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/77
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110514000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	SP-12, SP-13		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/78
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment	Result	
701110517000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins	Accept	
Connecting SN:	SP-14, SP-15		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/79
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110515000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	SP-16, SP-17		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/80
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110516000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	SP-18, SP-19		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	





Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/81
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110517000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	SP-20, SP-21		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026
NDT procedure					
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection					
Identification of any part found to have a defect and a description of the defect: None					
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None					
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.					

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/82
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
7011105125500	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-22, S-23		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/83
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110511000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-24, S-25		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/84
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110519500	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-26, S-27		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/85
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment	Result	
701110510500	Mast Cross Beam Connecting Pad Eyes & 2EA Pins	Accept	
Connecting SN:	S-28, S-29		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/86
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
7011105115000	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-30, S-31		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/87
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110580500	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-32, S-33		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/88
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment	Result	
701110512000	Mast Cross Beam Connecting Pad Eyes & 4EA Pins	Accept	
Connecting SN:	S-34, S-35		



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure	
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection	
Identification of any part found to have a defect and a description of the defect: None	
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None	
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.	

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/89
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027
Serial Number	Description of the examined equipment		Result
701110580100	Mast Cross Beam Connecting Pad Eyes & 2EA Pins		Accept
Connecting SN:	S-36, S-37		



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report



Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/90
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027

Serial Number	Description of the examined equipment	Result
-----	Mast Pins 20 EA	Accept



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	



Visual & Magnetic Particles Examination Report

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-04-25-0230-1/91
Location:	DQ1202	Job Order No:	QC-B-04-25-0230
Date of Examination:	23-Apr-2025	Next Inspection Due:	22-Apr-2027

Serial Number	Description of the examined equipment	Result
----	Mast Pins For Supported Beam 8 EA	Accept




NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI was performed as per the instructions of OEM, and the measurements were done by OEM.

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Magdy		Mohamed Abdulla	