





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-28
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
D22W1 J4803	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 22 MM Length: 9.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store</p>	02	7.8 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES	NO	√
	Was the examination carried out?		
* If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	√
	* Within an interval of 6 months?		
			YES
			NO
			√
			NO
			√
			NO
			√
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons			YES
			NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)			NO
			√
			YES
			By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject
		√	

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-29
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
B1776 B1775	Two Leg Wire Rope Sling Diameter: 22 MM Length: 5.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store	02	8.7 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES		NO
	NO		YES
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO
	NO		YES
		Was the examination carried out?	
		* Within an interval of 6 months?	
		* Within an interval of 12 months?	
		* By an examination scheme?	
		* After the occurrence of exceptional circumstances?	
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-30
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL							
A6501 A5567 A5693 A6504 A5566	Two Leg Wire Rope Sling Diameter: 36 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	05	21 TON							
Applicable Reference Standard:	BS EN 13414-1									
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	√	Was the examination carried out?					
	YES		NO	√	* Within an interval of 6 months?		YES	NO	√	
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO	√	* Within an interval of 12 months?		YES	NO	√	
	YES		NO	√	* By an examination scheme?		YES	NO	√	
					* After the occurrence of exceptional circumstances?		YES	NO	√	
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None										
Is The Above A Defect Which Is Of Immediate Danger To Persons							YES	NO	√	
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)							NO	√	YES	By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None										
** Visual And Dimension Check was Carried Out.										
Is This Equipment Safe To Operate?					Yes Accept	√	NO Reject			

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-31
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
A5481 A5474 A5468 A5454 A5470 A5483	Two Leg Wire Rope Sling Diameter: 22 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	06	7.8 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES		NO
	YES		NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO
	YES		NO
Was the examination carried out?			
* Within an interval of 6 months?		YES	NO
* Within an interval of 12 months?		YES	NO
* By an examination scheme?		YES	NO
* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-32
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
A5504 A5586 A5507 A5501 T4878 M5502 A5513 T4876 A2200	Two Leg Wire Rope Sling Diameter: 28 MM Length: 9.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	09	12.5 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES	NO	√
	Was the examination carried out?		
* If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	√
	* Within an interval of 6 months?		
	YES	NO	√
	* Within an interval of 12 months?		
	YES	NO	√
	* By an examination scheme?		
	YES	NO	√
	* After the occurrence of exceptional circumstances?		
	YES	NO	√
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons	YES	NO	√
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)	NO	√	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?	Yes Accept	√	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-33
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL																				
A6505	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 32 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store</p>	01	16.5 TON																				
Applicable Reference Standard:	BS EN 13414-1																						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO																				
	NO		YES																				
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO																				
	NO		YES																				
<table border="1"> <tr> <th colspan="4">Was the examination carried out?</th> </tr> <tr> <td>* Within an interval of 6 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* Within an interval of 12 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* By an examination scheme?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* After the occurrence of exceptional circumstances?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> </table>				Was the examination carried out?				* Within an interval of 6 months?	YES	NO	√	* Within an interval of 12 months?	YES	NO	√	* By an examination scheme?	YES	NO	√	* After the occurrence of exceptional circumstances?	YES	NO	√
Was the examination carried out?																							
* Within an interval of 6 months?	YES	NO	√																				
* Within an interval of 12 months?	YES	NO	√																				
* By an examination scheme?	YES	NO	√																				
* After the occurrence of exceptional circumstances?	YES	NO	√																				
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None																							
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO																				
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES																				
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None																							
** Visual And Dimension Check was Carried Out.																							
Is This Equipment Safe To Operate?		Yes Accept	NO Reject																				

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-34
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
A5433 A5430 A5429	Two Leg Wire Rope Sling Diameter: 16 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	03	4.2 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES		NO
	YES		NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO
	YES		NO
Was the examination carried out?			
* Within an interval of 6 months?		YES	NO
* Within an interval of 12 months?		YES	NO
* By an examination scheme?		YES	NO
* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-35
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL																				
N3019	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 16 MM Length: 6.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store</p>	01	4.2 TON																				
Applicable Reference Standard:	BS EN 13414-1																						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO																				
	NO		YES																				
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO																				
	NO		YES																				
<table border="1"> <tr> <th colspan="4">Was the examination carried out?</th> </tr> <tr> <td>* Within an interval of 6 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* Within an interval of 12 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* By an examination scheme?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* After the occurrence of exceptional circumstances?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> </table>				Was the examination carried out?				* Within an interval of 6 months?	YES	NO	√	* Within an interval of 12 months?	YES	NO	√	* By an examination scheme?	YES	NO	√	* After the occurrence of exceptional circumstances?	YES	NO	√
Was the examination carried out?																							
* Within an interval of 6 months?	YES	NO	√																				
* Within an interval of 12 months?	YES	NO	√																				
* By an examination scheme?	YES	NO	√																				
* After the occurrence of exceptional circumstances?	YES	NO	√																				
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None																							
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO																				
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES																				
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None																							
** Visual And Dimension Check was Carried Out.																							
Is This Equipment Safe To Operate?		Yes Accept	NO Reject																				

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-36
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL																				
N2987	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 28 MM Length: 10.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store</p>	01	12.5 TON																				
Applicable Reference Standard:	BS EN 13414-1																						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO																				
	NO		YES																				
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO																				
	NO		YES																				
<table border="1"> <tr> <th colspan="4">Was the examination carried out?</th> </tr> <tr> <td>* Within an interval of 6 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* Within an interval of 12 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* By an examination scheme?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* After the occurrence of exceptional circumstances?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> </table>				Was the examination carried out?				* Within an interval of 6 months?	YES	NO	√	* Within an interval of 12 months?	YES	NO	√	* By an examination scheme?	YES	NO	√	* After the occurrence of exceptional circumstances?	YES	NO	√
Was the examination carried out?																							
* Within an interval of 6 months?	YES	NO	√																				
* Within an interval of 12 months?	YES	NO	√																				
* By an examination scheme?	YES	NO	√																				
* After the occurrence of exceptional circumstances?	YES	NO	√																				
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None																							
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO																				
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES																				
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None																							
** Visual And Dimension Check was Carried Out.																							
Is This Equipment Safe To Operate?		Yes Accept	NO Reject																				

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-37
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL				
A5573 A5574	Two Leg Wire Rope Sling Diameter: 40 MM Length: 1.2 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store	02	23.4 TON				
Applicable Reference Standard:	BS EN 13414-1						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	Was the examination carried out?			
			√	* Within an interval of 6 months?		YES	NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO	* Within an interval of 12 months?		YES	NO
	√			* By an examination scheme?		YES	NO
				* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None							
Is The Above A Defect Which Is Of Immediate Danger To Persons				YES	NO	√	
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)				NO	√	YES	By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None							
** Visual And Dimension Check was Carried Out.							
Is This Equipment Safe To Operate?				Yes Accept	√	NO Reject	

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-38
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL				
B774	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 13 MM Length: 2.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store</p>	01	2.9 TON				
Applicable Reference Standard:	BS EN 13414-1						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	Was the examination carried out?			
	YES		NO	* Within an interval of 6 months?		YES	NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO	* Within an interval of 12 months?		YES	NO
	YES		NO	* By an examination scheme?		YES	NO
				* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None							
Is The Above A Defect Which Is Of Immediate Danger To Persons				YES	NO		
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)				NO	YES	By:	
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None							
** Visual And Dimension Check was Carried Out.							
Is This Equipment Safe To Operate?				Yes Accept	NO Reject		

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-39
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL				
B1259	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 36 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store</p>	01	23.2 TON				
Applicable Reference Standard:	BS EN 13414-1						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	Was the examination carried out?			
			√	* Within an interval of 6 months?		YES	NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO	* Within an interval of 12 months?		YES	NO
	√			* By an examination scheme?		YES	NO
				* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None							
Is The Above A Defect Which Is Of Immediate Danger To Persons				YES	NO	√	
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)				NO	√	YES	By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None							
** Visual And Dimension Check was Carried Out.							
Is This Equipment Safe To Operate?				Yes Accept	√	NO Reject	

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-40
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL				
A6490	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 35 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store</p>	01	20 TON				
Applicable Reference Standard:	BS EN 13414-1						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO	Was the examination carried out?			
			√	* Within an interval of 6 months?		YES	NO
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO	* Within an interval of 12 months?		YES	NO
	√			* By an examination scheme?		YES	NO
				* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None							
Is The Above A Defect Which Is Of Immediate Danger To Persons				YES	NO	√	
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)				NO	√	YES	By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None							
** Visual And Dimension Check was Carried Out.							
Is This Equipment Safe To Operate?				Yes Accept	√	NO Reject	

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-41
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL																				
A6491	<p>Two Leg Wire Rope Sling</p> <p>Diameter: 35 MM Length: 8.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store</p>	01	22 TON																				
Applicable Reference Standard:	BS EN 13414-1																						
* Is this the first examination after installation or assembly at a new site or location?	YES		NO																				
	NO		YES																				
* If the answer to the above question is YES has the equipment been installed correctly?	YES		NO																				
	NO		YES																				
<table border="1"> <tr> <th colspan="4">Was the examination carried out?</th> </tr> <tr> <td>* Within an interval of 6 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* Within an interval of 12 months?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* By an examination scheme?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> <tr> <td>* After the occurrence of exceptional circumstances?</td> <td>YES</td> <td>NO</td> <td>√</td> </tr> </table>				Was the examination carried out?				* Within an interval of 6 months?	YES	NO	√	* Within an interval of 12 months?	YES	NO	√	* By an examination scheme?	YES	NO	√	* After the occurrence of exceptional circumstances?	YES	NO	√
Was the examination carried out?																							
* Within an interval of 6 months?	YES	NO	√																				
* Within an interval of 12 months?	YES	NO	√																				
* By an examination scheme?	YES	NO	√																				
* After the occurrence of exceptional circumstances?	YES	NO	√																				
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None																							
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO																				
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES																				
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None																							
** Visual And Dimension Check was Carried Out.																							
Is This Equipment Safe To Operate?		Yes Accept	NO Reject																				

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-42
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
A8920 A8924	Two Leg Wire Rope Sling 1 st Leg : Diameter: 16 MM , Length: 4.5 M 2 nd Leg : Diameter: 16 MM , Length: 3.5 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	02	4.6 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	Was the examination carried out?		
	YES	NO	√
* If the answer to the above question is YES has the equipment been installed correctly?	* Within an interval of 6 months?		
	YES	NO	√
* Within an interval of 12 months?		YES	NO
* By an examination scheme?		YES	NO
* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





Al Takamul Company for Engineering Services
Quality Control – Iraq



LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-43
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
A8316 A8315	Two Leg Wire Rope Sling 1 st Leg : Diameter: 16 MM , Length: 5 M 2 nd Leg : Diameter: 16 MM , Length: 6 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Soft Eye X Hard Eye LOCATION: Store	02	4.6 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	Was the examination carried out?		
	YES	NO	√
* If the answer to the above question is YES has the equipment been installed correctly?	* Within an interval of 6 months?		YES
	YES	NO	√
* Within an interval of 12 months?		YES	NO
* By an examination scheme?		YES	NO
* After the occurrence of exceptional circumstances?		YES	NO
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons		YES	NO
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)		NO	YES
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEE & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting







LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-44
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
C3194 A5398 A5409	Four Leg Wire Rope Sling Diameter: 16 MM Length: 6.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, Connected With Four Alloy Bash-P Hooks WLL 3T With Safety Latch With The Bottom Hard Eye X Hard Eye LOCATION: Store	03	3.6 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	YES	NO	√
	Was the examination carried out?		
* If the answer to the above question is YES has the equipment been installed correctly?	YES	NO	√
	* Within an interval of 6 months?		
* Within an interval of 12 months?			
* By an examination scheme?			
* After the occurrence of exceptional circumstances?			
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons			YES NO √
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)			NO √ YES By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject

LEEA & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner’s work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation “LOLER”. The result was found Satisfactory at the time of Inspection and considered Safe for Lifting





LIFTING ACCESSORIES OF VISUAL AND THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	DAQING DRILLING COMPANY	Certificate no:	QC-B-05-25-0263-10-45
Location:	DQ RIG 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	11-MaY-2025	Next Inspection Due:	10-NOV-2025
Last Inspection		Last Proof Load Test Date	
08- JAN - 2025		By Manufacture	

IDENTIFICATION NO	DESCRIPTION	QTY	SWL
N3077	<p>Four Leg Wire Rope Sling</p> <p>Diameter: 13 MM Length: 2.0 M Safety Factor: 5:1 IWRC, Mechanically Spliced with Aluminium Ferrules, Connected with Master Link Assembly From Top, With The Bottom Hard Eye X Hard Eye LOCATION: Store</p>	01	4.15 TON
Applicable Reference Standard:	BS EN 13414-1		
* Is this the first examination after installation or assembly at a new site or location?	Was the examination carried out?		
	YES	NO	√
* If the answer to the above question is YES has the equipment been installed correctly?	* Within an interval of 6 months?		
	YES	NO	√
Identification Of Any Part Found To Have A Defect Which Is Or Could Become A Danger To Persons And A Description Of The Defect: None			
Is The Above A Defect Which Is Of Immediate Danger To Persons			YES NO √
Is The Above A Defect Which Is Not Yet But Could Become A Danger To Persons: (If YES State The Date By When)			NO √ YES By:
Particulars Of Any Repair, Renewal, Or Alteration Required To Remedy The Defect Identified Above: None			
** Visual And Dimension Check was Carried Out.			
Is This Equipment Safe To Operate?		Yes Accept	NO Reject √

LEEA & ASNT Level II Inspector Name:	SIGNATURE:	Authenticating This Report:	SIGNATURE:
Khaled Mahmoud		Mohammed Abdullah	

THIS IS TO CERTIFY THAT: a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting