



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-01
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
SC2	Chemical Basket Lifting Lugs	Accept
Lugs S/N:	2-1 , 2-2 , 2-3 , 2-4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-02
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
SC1	Chemical Basket Lifting Lugs	Accept
Lugs S/N:	1-1 , 1-2 , 1-3 , 1-4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-03
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ22-TLB-03	Tools Basket Lifting Lugs	Accept
Lugs S/N:	S1 , S2 , S3 , S4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-04
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ22-TLB-01	Tools Basket Lifting Lugs	Accept
Lugs S/N:	C1 , C2 , C3 , C4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-05
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ22-TLB-02	Tools Basket Lifting Lugs	Accept
Lugs S/N:	C5 , C6 , C7 , C8	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-06
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
A-17887	Workshop Lifting Lugs	Accept
Lugs S/N:	A1 , A2 , A3 , A4 , A5	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-07
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
13151	Electric Warehouse Lifting Lugs	Accept
Lugs S/N:	151-1 , 151-2 , 151-3 , 151-4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-08
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
AWMR-01	Air Winch & Man Rider Basket Lifting Lugs	Accept
Lugs S/N:	H1 , H2 , H3 , H4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-09
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
06-25	Driller Spooler Lifting Lugs	Accept
Lugs S/N:	A3 , A4 , A5 , A6	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-10
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
FP-001	BOP Test Unit Cover Lifting Lugs	Accept
Lugs S/N:	C9 , C10 , C11 , C12	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-11
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DNA-002	Tools Basket Lifting Lugs	Accept
Lugs S/N:	N1 , N2 , N3 , N4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-12
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ22-SKD-001	Skid Lifting Lugs	Accept
Lugs S/N:	S1 , S2 , S3 , S4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-13
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ022-TS-01	BOP Test Stamp Skid Lifting Lugs	Accept
Lugs S/N:	B1 , B2 , B3 , B4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-14
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
L-111	Mud System Ladder Lifting Lugs	Accept
Lugs S/N:	01 , 02 , 03 , 04	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-15
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
MBS-01	Monkey Board Skid Lifting Lugs	Accept
Lugs S/N:	M10 , M11 , M12 , M13	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-16
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
JC12-009	V - Door Lifting Lugs	Accept
Lugs S/N:	V5 , V6 , V7 , V8 , V9 , V10 , V11 , V12	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-17
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ022-BK-001	Bunker Skid Lifting Lugs	Accept
Lugs S/N:	1, 2, 3, 4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report



Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-18
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ022-BK-002	Bunker Skid Lifting Lugs	Accept
Lugs S/N:	2-1 , 2-2 , 2-3 , 2-4	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection
Identification of any part found to have a defect and a description of the defect: None
Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None
All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elsaid	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-19
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ022-BK-003	Bunker Skid Lifting Lugs	Accept
Lugs S/N:	55-1 , 55-2 , 55-3 , 55-4	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-20
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DQ022-CT-001	Cable Try Lifting Lugs	Accept
Lugs S/N:	T7 , T8 , T9 , T10 , T11 , T12	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Mohamed Abdulla		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-21
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
A2000160-010100	Cable Try Lifting Lugs & Hooks	Accept
Lugs S/N:	M1, M2, M3, M4, M5, M6	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-22
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
CBT-003	Cable Try Lifting Lugs	Accept
Lugs S/N:	T21, T22, T23, T24	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-23
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
CBT-004	Cable Try Lifting Lugs	Accept
Lugs S/N:	T25, T26, T27, T28	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-24
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
CBT-002	Cable Try Lifting Lugs	Accept
Lugs S/N:	G50, G51, G52, G53	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-25
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
2012-F074	Generator Room Lifting Lugs	Accept
Unit DIM:	L=12000 MM X W= 3000 MM X H=3100 MM	
Lugs S/N:	G9, G10, G11, G12	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elsaid	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-26
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
2012-F075	Generator Room Lifting Lugs	Accept
Unit DIM:	L=12000 MM X W= 3000 MM X H=3100 MM	
Lugs S/N:	G13, G14, G15, G16	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elsaid	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-27
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
2012-F076	Generator Room Lifting Lugs	Accept
Unit DIM:	L=12000 MM X W= 3000 MM X H=3100 MM	
Lugs S/N:	G17, G18, G19, G20	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-28
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
2012-F077	Generator Room Lifting Lugs	Accept
Unit DIM:	L=12000 MM X W= 3000 MM X H=3100 MM	
Lugs S/N:	G21, G22, G23, G24	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-29
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
BM12-1005-03-02	MCC Room Lifting Lugs	Accept
Unit DIM:	L:- 13500 MM X W:- 3000 MM X H:- 3100 MM	
Lugs S/N:	G1, G2, G3, G4, G5, G6, G7, G8	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-30
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
C1302150	Koomy Unit Lifting Lugs	Accept
Lugs S/N:	G29, G30, G31, G32	



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-31
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
13447	TOP Drive Drilling Equipment (VFD) Lifting Lugs	Accept
Unit DIM:	L= 6058 MM X W= 2680 MM X H= 2750 MM	
Lugs S/N:	G33, G34, G35, G36	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elsaid	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-32
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
THS-01	TDS Hydraulic Station Lifting Lugs	Accept
Lugs S/N:	G37, G38, G39, G40	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-33
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
3S7567	Back Up Air Tank Lifting Lugs	Accept
Lugs S/N:	G39, G40, G41, G42	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-34
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
TA-002	TDS Guide Rail Skid Lifting Hook	Accept
HOOKS S/N:	22-538, 22-539, 22-540, 22-341	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-35
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
TA-001	TDS SKID LIFTING LUGS	Accept
Lugs S/N:	G43, G44, G45, G46	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-35
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
201109-015	Travelling Power Plant Lifting Lugs	Accept
Lugs S/N:	G25, G26, G27, G28	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-36-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
1305-458	01	Lifting Cap Pad Eye Dimension Thickness: 36 mm Pin Hole: 68 mm 25mm Length: 147 mm Height: 145 mm	5 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)

NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: _____

Particulars of any tests carried out as part of the examination: (If none state NONE)

VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaad	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-36-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
1305-458	Lifting Cap	Accept



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-37-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
1305-459	01	Lifting Cap Pad Eye Dimension Thickness: 30 mm Pin Hole: 71 mm 25mm Length: 128 mm Height: 125 mm	5 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-37-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
1305-459	Lifting Cap	Accept



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-38-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
1305-457 1305-456	02	Lifting Cap Pad Eye Dimension Thickness: 40 mm Pin Hole: 69 mm 25mm Length: 167 mm Height: 160 mm	5 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons:	YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	YES by:		

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaad	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-38-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
1305-457,1305-456	Lifting Cap	Accept



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-39-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
333	01	Lifting Cap Pad Eye Dimension Thickness: 35 mm Pin Hole: 71 mm 25mm Length: 153 mm Height: 146 mm	5 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY


IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
 Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaad	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-39-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
333	Lifting Cap	Accept



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-40
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
VN1021	Lifting Cap	Accept



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:


LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-41-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
BT1 BT2 BT3 BT4	04	TDS Cable Basket Pad Eyes Pad Eye Dimension Thickness: 48 mm Pin Hole: 25mm Length: 86 mm Height: 100 mm	2 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)

NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-41-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
TCB-01	TDS Cable Basket Pad Eyes	Accept
Lifting Pad Eyes SN:	BT1, BT2, BT3, BT4 SWL Each Pad Eye:	2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature
Tayyab Mehmood		Ashraf Elasaïd	






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-42-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
BT5 BT6 BT7 BT8	04	TDS Cable Basket Pad Eyes Pad Eye Dimension Thickness: 48 mm Pin Hole: 25mm Length: 86 mm Height: 100 mm	2 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)

NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO



NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaad	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-42-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
TCB-02	TDS Cable Basket Pad Eyes	Accept
Lifting Pad Eyes SN:	BT5, BT6, BT7, BT8	SWL Each Pad Eye: 2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure


Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature
Tayyab Mehmood		Ashraf Elsaid	






Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-43-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
BT9 BT10 BT11 BT12	04	TDS Cable Basket Pad Eyes Pad Eye Dimension Thickness: 48 mm Pin Hole: 25mm Length: 86 mm Height: 100 mm	2 Ton	-----
				

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
	YES	NO			YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓
	YES	NO			YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure
Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	





Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-43-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
TCB-03	TDS Cable Basket Pad Eyes	Accept
Lifting Pad Eyes SN:	BT9, BT10, BT11, BT12 SWL Each Pad Eye:	2 Ton



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature
Tayyab Mehmood		Ashraf Elasaïd	





Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-44-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
02 04	02	Rig Floor Emergency Reel Lifting Pad Eyes Pad Eye Dimension Thickness: 20 mm Pin Hole: 43mm Length: 123 mm Height: 91 mm	3 Ton	-----

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months?	YES	NO	✓
					With an interval of 12 months?	YES	NO
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO		By an examination scheme? After the occurrence of exceptional circumstances?	YES	NO	✓
					YES	NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons:	YES	NO	✓
Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when)	YES by:		

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEE A & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	






Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-44-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
DZ000017-02	Rig Floor Emergency Reel Lifting Lugs & Pad Eyes	Accept
Lifting Pad Eyes SN:	02, 04	SWL Each Pad Eye: 3 Ton
Lifting Lugs SN:	DQ1, DQ2, DQ3, DQ4, DQ5, DQ6, DQ7, DQ8, DQ9, DQ10	



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026



NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	



Certificate of Thorough Examination & NDT of Lifting Equipment

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-45-A
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number:	QTY	Description	SWL Each Pad Eye:	Date of last Thorough examination
1210-404	01	Lifting Cap Pad Eye Dimension Thickness: 40 mm Pin Hole: 80 mm 25mm Length: 188 mm Height: 160 mm	5 Ton	-----

Reference Standard: LEEA DOC 048:2015

Is this the first examination after Installation or assembly at a new site or location?	YES	NO	✓	Was the examination carried out: Within 6 months? With an interval of 12 months? By an examination scheme? After the occurrence of exceptional circumstances?	YES	✓	NO	✓
					YES	✓	NO	✓
If the answer to the above question is YES has the equipment been installed correctly?	YES	NO			YES	✓	NO	✓
					YES		NO	✓

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE)
NONE

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) YES by: _____

Particulars of any repair, renewal, or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
VISUAL INSPECTION and MPI CARRIED OUT AND FOUND SATISFACTORY

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

NDT Equipment Details					
Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-09	Due Date	11. May.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026

NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaad	



Visual & Magnetic Particles Examination Report

Client:	Daqing Drilling Company	Certificate no:	QC-B-05-25-0263-03-45-B
Location:	DQ Rig 022	Job Order No:	QC-B-05-25-0263
Date of Examination:	12-May-2025	Next Inspection Due:	11-Nov-2025

Serial Number	Description of the examined equipment	Result
1210-404	Lifting Cap	Accept



NDT Equipment Details

Standard	ASTM E 709	Viewing Condition:	Colored Media	Method	WET
Yoke	Permanent	Serial No:	PY-11	Due Date	11. Nov.2025
White Contrast	WCP-2	Batch No:	008A009	Due Date	April.2026
Black Ink	7HF	Batch No:	008A103	Due Date	Jun.2026


NDT procedure

Visual and MPI were carried out for the above description and found free of surface defects at the time of inspection

Identification of any part found to have a defect and a description of the defect: None

Particulars of any repair, renewal, or alteration required to remedy the defect identified above: None

All MPI Performed as Per Instructions of OEM:

LEEA & ASNT Level II Inspector Name:	Signature:	Authenticating This Report:	Signature:
Tayyab Mehmood		Ashraf Elasaïd	