

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/001 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|---|-----|--|-----------------|
| 217231 217232 217233 217234 217235 217236 217237 217238 217239 2172310 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)


**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/002 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| 2172311 2172312 2172313 2172314 2172315 2172316 2172317 2172318 2172319 2172320 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/003 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|-----|--|-----------------|
| 2172321 2172322 2172323 2172324 2172325 2172326 2172327 2172328 2172329 2172330 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |


Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/004 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| 2172331 2172332 2172333 2172334 2172335 2172336 2172337 2172338 2172339 2172340 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/005 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| 2172341 2172342 2172343 2172344 2172345 2172346 2172347 2172348 2172349 2172350 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)


**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/006 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|-----|--|-----------------|
| 2172351 2172352 2172353 2172354 2172355 2172356 2172357 2172358 2172359 2172360 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |


Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/007 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-001 A-W-002 A-W-003 A-W-004 A-W-005 A-W-006 A-W-007 A-W-008 A-W-009 A-W-010 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |


Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/008 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 04/12/2025 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|-----|--|-----------------|
| A-W-011 A-W-012 A-W-013 A-W-014 A-W-015 A-W-016 A-W-017 A-W-018 A-W-019 A-W-020 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)


**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

| | | | |
|--|---|--|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature Halliburton | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/009 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-031 A-W-032 A-W-033 A-W-034 A-W-035 A-W-036 A-W-037 A-W-038 A-W-039 A-W-040 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)


**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/010 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-041 A-W-042 A-W-043 A-W-044 A-W-045 A-W-046 A-W-047 A-W-048 A-W-049 A-W-050 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |


Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/011 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-051 A-W-052 A-W-053 A-W-054 A-W-055 A-W-056 A-W-057 A-W-058 A-W-059 A-W-060 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

Reference Standard: (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

IS THIS EQUIPMENT SAFE TO OPERATE? YES ✓ NO

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/012 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-061 A-W-062 A-W-063 A-W-064 A-W-065 A-W-066 A-W-067 A-W-068 A-W-069 A-W-070 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:


Particulars of any tests carried out as part of the examination: (If none state NONE)

**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**
**** MPI was carried out on Welding Areas and found satisfactory**

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|--|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature Haliburton | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/013 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|------------|--|-----------------|
| A-W-071 A-W-072 A-W-073 A-W-074 A-W-075 A-W-076 A-W-077 A-W-078 A-W-079 A-W-080 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)
 ** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
 ** MPI was carried out on Welding Areas and found satisfactory

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|--|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature Halliburton | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/014 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|-----|--|-----------------|
| A-W-081 A-W-082 A-W-083 A-W-084 A-W-085 A-W-086 A-W-087 A-W-088 A-W-089 A-W-090 | 10 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | | |
|---|-----|----|----|---|--------------------------------|-----|----|----|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? | YES | ✓ | NO | |
| | | | | | With an interval of 12 months? | YES | | NO |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | ✓ | NO | In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | ✓ | NO | |
| | | | | | YES | | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

| | | | | |
|---|-----|--|----|---|
| Is the above a defect which is of immediate danger to persons: | YES | | NO | ✓ |
| Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) | N/A | | | |

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)


**** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory**

**** MPI was carried out on Welding Areas and found satisfactory**

| | | | | |
|---|-----|---|----|--|
| IS THIS EQUIPMENT SAFE TO OPERATE? | YES | ✓ | NO | |
|---|-----|---|----|--|

| | | | |
|--|---|--|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature Haliburton | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/015 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|--|-----|--|-----------------|
| A-W-091 A-W-092 A-W-093 A-W-094 A-W-095 A-W-096 A-W-097 A-W-098 | 08 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | |
|---|-----|----|---|--|-----|----|---|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | NO | ✓ |
| | YES | NO | ✓ | | YES | NO | ✓ |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | NO | ✓ | | YES | NO | ✓ |
| | YES | NO | ✓ | | YES | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory
** MPI was carried out on Welding Areas and found satisfactory

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature <i>Ali Talib</i> Haliburton | |
| Date of Next Through Examination: | 04/12/2025 | | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Equipment Regulations regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for use.

ALI Talib HB48903

Date: 06-JUNE-2025

Signature *Ali Talib*
Haliburton



**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**

Basra, North Rumaila, Quality Control Yard - Iraq

Tel: +9647834966105 / +9647834964657

Email: ashraf.said@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com



CERTIFICATE OF THOROUGH EXAMINATION

This Certificate complies with the requirements of the Lifting Equipment Operations and Lifting Equipment Regulations

| | | | | | |
|-----------------------------|--------------------|------------------------|-------------------|------------------------|---------------------------|
| Date of Examination: | 05/06/2025 | Date of Report: | 05/06/2025 | Certificate No: | QC-25-WPS-0091/016 |
| Client Name: | HALLIBURTON | Location: | WPS | Job Number: | 0091 |

| | | |
|------------------------|----------------------------------|---------------------------------|
| Last Inspection | Last Proof Load Test Date | Next Proof Load Test Due |
| 10/12/2024 | 17-08-2023 | 16-08-2028 |

| Serial Number: | QTY | Description | SWL |
|---|-----|--|-----------------|
| A-W-021 A-W-023 A-W-024 A-W-025 A-W-026 A-W-027 A-W-028 A-W-029 A-W-030 | 09 | TOOL STAND Fully welded Steel Construction consists of 18mm road bar and 4mm steel plate DIM: 445mm (L) X 445mm (W) X 450mm (H) Stand weight: 35 LBS | 2000 LBS |

| | |
|----------------------------|--|
| Reference Standard: | (DOCUMENT NUMBER ST-GL-HAL-SD-HSE003)-HAL DOC: ST-GL-HAL-HSE-0420 |
|----------------------------|--|

| | | | | | | | |
|---|-----|----|---|--|-----|----|---|
| Is this the first examination after Installation or assembly at a new site or location? | YES | NO | ✓ | Was the examination carried out: Within an interval of 6 months? With an interval of 12 months? In accordance with an examination scheme? After the occurrence of exceptional circumstances? | YES | NO | ✓ |
| | YES | NO | ✓ | | YES | NO | ✓ |
| If the answer to the above question is YES has the equipment been installed correctly? | YES | NO | ✓ | | YES | NO | ✓ |
| | YES | NO | ✓ | | YES | NO | ✓ |

Identification of any part found to have a defect which is or could not become a danger to persons and a description of the defect: (If none state NONE) **NONE**

Is the above a defect which is of immediate danger to persons: YES NO

Is the above a defect which is not yet but could become a danger to persons (If YES state the date by when) N/A

Particulars of any repair, renewal or alteration required to remedy the defect identified above:

Particulars of any tests carried out as part of the examination: (If none state NONE)

** The subject Items were inspected Visually and dimensionally where no signs of defects were observed at the time of inspection and found satisfactory

** MPI was carried out on Welding Areas and found satisfactory

IS THIS EQUIPMENT SAFE TO OPERATE? YES NO

| | | | |
|--|---|---|--|
| Name of Inspector: | Name of person authenticating this report: | Client Signature & Stamp: | |
| ASHRAF ELSAID | MOHAMED ABDALLAH | ALI Talib HB48903 Date: 06-JUNE-2025 Signature | |
| Date of Next Through Examination: | 04/12/2025 | Haliburton | |

REV: 01 Dated: 20 June 2022



THIS IS TO CERTIFY THAT; a competent person did attend the above-mentioned owner's work location on the date shown above and the equipment described in this report was tested & inspected as per the requirements of Lifting Operations Lifting Equipment Regulation "LOLER". The result was found Satisfactory at the time of Inspection and considered Safe for Lifting.

