

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-15
Location:	TCP YARD	Job Number:	QC-Hall-25-0100
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	TOOLS RACK
		UNIT S/N:	004A
		SWL:	2000 KG
		UNIT DIMENSION:	L:1.49 M X H:1.01 M X W:0.97 M
		INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-16	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification: ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	004B		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:1.49 M X H:1.01 M X W:0.97 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment: AC-Yoke Test Block	Equipment: Digital Lux Meter	Equipment: AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR: NAVEED HUSSAIN
S.No: 1657	S.No: 2722003	S.No: 201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT
Cal Due Date: 7-Oct-2025	Cal Due Date: 9-Oct-2025	Cal Due Date: 7-Oct-2025	STAMP & SIGNATURE:		CLIENT:
Black Magnetic Ink Manufacture: Magnaflux	Batch No: 230604	Expiry Date: MAY.2026			
Whie Contrast Paint Manufacture: Magnaflux	Batch No: 230408	Expiry Date: APRIL,2026			
Technical Details:	Magnetic Partical Concentration	Method	WMPT Light Intensity		
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)	3670 Lux		
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE: 1-Jul-2025		

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-17	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	0424		
	SWL:	15000 LBS		
	UNIT DIMENSION:	L:3.25 M X H:1.06 M X W:0.91 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:	CLIENT:		
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-18	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	0423		
	SWL:	15000 LBS		
	UNIT DIMENSION:	L:3.25 M X H:1.06 M X W:0.91 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:	CLIENT:		
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE:		1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657


Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-19	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	0422		
	SWL:	15000 LBS		
	UNIT DIMENSION:	L:3.25 M X H:1.06 M X W:0.91 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-20
Location:	TCP YARD	Job Number:	QC-Hall-25-0100
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification: ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	TOOLS RACK
		UNIT S/N:	0421
		SWL:	15000 LBS
		UNIT DIMENSION:	L:3.25 M X H:1.06 M X W:0.91 M
		INSPECTION RESULT :	
		VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage
MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment: AC-Yoke Test Block	Equipment: Digital Lux Meter	Equipment: AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR: NAVEED HUSSAIN
S.No: 1657	S.No: 2722003	S.No: 201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT
Cal Due Date: 7-Oct-2025	Cal Due Date: 9-Oct-2025	Cal Due Date: 7-Oct-2025	STAMP & SIGNATURE:		CLIENT:
Black Magnetic Ink Manufacture: Magnaflux	Batch No: 230604	Expiry Date: MAY.2026			
Whie Contrast Paint Manufacture: Magnaflux	Batch No: 230408	Expiry Date: APRIL,2026			
Technical Details:	Magnetic Partical Concentration	Method	WMPT Light Intensity		
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)	3670 Lux		
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE: 1-Jul-2025		

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-21	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	0265		
	SWL:	15000 LBS		
	UNIT DIMENSION:	L:2.03 M X H:1.06 M X W:0.91 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657


Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-22	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	0267		
	SWL:	15000 LBS		
	UNIT DIMENSION:	L:2.03 M X H:1.06 M X W:0.91 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-23	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	ITS333475		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:3.65 M X H:2.81 M X W:2.90 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-24	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	ITS333477		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:3.65 M X H:2.81 M X W:2.90 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE:	1-Jul-2025					

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-25	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	ITS333476		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:3.65 M X H:2.81 M X W:2.90 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION			
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-26
Location:	TCP YARD	Job Number:	QC-Hall-25-0100
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)
		UNIT DESCRIPTION:	TOOLS RACK
		UNIT S/N:	SPX/RSU1164905
		SWL:	1000 KG
		UNIT DIMENSION:	L:1.87 M X H:2.00 M X W:0.69 M
		INSPECTION RESULT :	
VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
COMMENT:			
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-27	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification: ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	SPX/RSU1164906		
	SWL:	1000 KG		
	UNIT DIMENSION:	L:1.87 M X H:2.00 M X W:0.69 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment: AC-Yoke Test Block	Equipment: Digital Lux Meter	Equipment: AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud QUALIFICATION: ASNT LEVEL II MT & PT & VT STAMP & SIGNATURE: 	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No: 1657	S.No: 2722003	S.No: 201504052		SUPERVISOR:	ASHRAF ELSAID
Cal Due Date: 7-Oct-2025	Cal Due Date: 9-Oct-2025	Cal Due Date: 7-Oct-2025		CLIENT:	
Black Magnetic Ink Manufacture: Magnaflux	Batch No: 230604	Expiry Date: MAY.2026			
Whie Contrast Paint Manufacture: Magnaflux	Batch No: 230408	Expiry Date: APRIL.2026			
Technical Details:	Magnetic Partical Concentration	Method	WMPT Light Intensity		
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)	3670 Lux		
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE: 1-Jul-2025		

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138


Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-28	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	SPX/RSU1164907		
	SWL:	1000 KG		
	UNIT DIMENSION:	L:1.87 M X H:2.00 M X W:0.69 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity				
	1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3670 Lux				
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025			

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-29	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION		Specification: ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	SPX/RSU1164903		
	SWL:	500 KG		
	UNIT DIMENSION:	L:3.00 M X H:2.00 M X W:0.45 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud QUALIFICATION: ASNT LEVEL II MT & PT & VT STAMP & SIGNATURE: 	SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052		SUPERVISOR:	ASHRAF ELSAID
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026			
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL.2026			
Technical Details:	Magnetic Partical Concentration		Method		WMPT Light Intensity			
	1.2 to 2.4 ml/100 ml		Wet Magnetic Particle Testing (WMPT)		3670 Lux			
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF		1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025		

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com

**AI TAKAMUL COMPANY FOR ENGINEERING TESTS
AND PROFESSIONAL SAFETY LIMITED**
Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION				
Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-30	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	SPX/RSU1164901		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:5.51 M X H:2.19 M X W:0.59 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
	FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection		
	COMMENT:			
	Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast			

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL.2026				
Technical Details:	Magnetic Partical Concentration	Method	WMPT Light Intensity						
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)	3670 Lux						
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml	EXPIRE DATE:	1-Jul-2025					

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com


AI TAKAMUL COMPANY FOR ENGINEERING TESTS AND PROFESSIONAL SAFETY LIMITED

Basra, North Rumaila, Quality Control Yard - Iraq



CERTIFICATION OF VISUAL, THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION

Client:	HALLIBURTON (TCP)	Report No:	QC-Hall-25-0100-31	
Location:	TCP YARD	Job Number:	QC-Hall-25-0100	
Date:	1-Jul-2025	Next Inspection Date:	31-Dec-2025	
Type Of Inspection:	VISUAL , THOROUGH EXAMINATION & MAGNETIC PARTICLE INSPECTION	Specification:	ASTM E709 & ASTM E 1444 (2016) ASME V Article 7 (2019)	
	UNIT DESCRIPTION:	TOOLS RACK		
	UNIT S/N:	SPX/RSU1164902		
	SWL:	2000 KG		
	UNIT DIMENSION:	L:5.51 M X H:2.19 M X W:0.59 M		
	INSPECTION RESULT :			
	VISUAL , THOROUGH EXAMINATION	unit fully inspected and found free from deforms, cracks, corrosion & mechanical damage		
	MAGNETIC PARTICLE INSPECTION	Welds & forgn areas inspected and found free from cracks and other defects		
FINAL RESULTS	unit found satisfactory and free of defects at the time of inspection			
COMMENT:				
Magnetic Particle Inspection With A/C Hand Yoke , Black & White Contrast				

Equipment:	AC-Yoke Test Block	Equipment:	Digital Lux Meter	Equipment:	AC/DC Yoke	INSPECTOR NAME: Khalid Mahmoud		SENIOR INSPECTOR:	NAVEED HUSSAIN
S.No:	1657	S.No:	2722003	S.No:	201504052			QUALIFICATION: ASNT LEVEL II MT & PT & VT	SUPERVISOR:
Cal Due Date:	7-Oct-2025	Cal Due Date:	9-Oct-2025	Cal Due Date:	7-Oct-2025	STAMP & SIGNATURE:		CLIENT:	
Black Magnetic Ink Manufacture:	Magnaflux	Batch No:	230604	Expiry Date:	MAY.2026				
Whie Contrast Paint Manufacture:	Magnaflux	Batch No:	230408	Expiry Date:	APRIL,2026				
Technical Details:	Magnetic Partical Concentration	Method		WMPT Light Intensity					
	1.2 to 2.4 ml/100 ml	Wet Magnetic Particle Testing (WMPT)		3670 Lux					
Cal Due Date:13.APRIL.2025	Black Magnetic Ink Concentration 7 HF	1.2 to 2.4 ml/100 ml		EXPIRE DATE:	1-Jul-2025				

Original - Client Files

Copy - Area Office

QC/FN/MPI/065 Rev.00 DATED 07 NOV 2021



Adress; Noth Rumaila, AI Takamul Yard
Contact: +9647810009138

Tel: +9647810009138 / +9647834964657

Email: OP@qualitycontrol-iraq.com / hany.akafi@qualitycontrol-iraq.com